GASOLINE ENGINE IMPAGT WRENGH Pick up and work alone! Model No. GT-3500GE (EDP No.33851<u>0)</u> Postables Approved by EMISSION CONTROL Directive 2012/46/EU.

MADE IN JAPAN

PORTABLE GASOLINE ENGI

Going Everywhere, No Electricity, No Air Power, No Motor, etc.


Support handle with rubber grip (Well balanced)

1"Socket Square Drive

Powerful driving shaft 1" anvil!

Applicable for bolts and nuts, rusted and frozen!








GASOLINE ENGINE IMPACT WRENCH

Stop switch

- 2 Ideal for Remote Area

 Due to self-powered wrench
- **3** Emergency
- Only 19.5kg!
 Easy to carry it away.
 Max Torque Fastening





Create The New Market!

by Earthquake and disastrous natural calamity.





330mm

390mm

Main Specification

Engine	Type Displacement Fuel Tank Capacity Fuel Mixture Ratio Revolution(idling) Revolution(loaded, impact) Revolution(non loaded, max)	: Two Stroke, Forced, Air Cooled, Single Cylinder : 46.5cc, Φ43×32mm(Inner bore size×stroke) : 1 liter : 25:1 (gasoline:2 cycle oil) : 2700 rpm ±250 : 7120 rpm : 9880 rpm
Ignition	Type Spark Plug Type	: Electronic : NGK BPMR6A
Carburetor	Туре	: Diaphragm
Impact	Square Driver Size Fastening Torque Range Free Speed	: 25.4mm(1") : 1700 N.m(Full Throttle:1255 ft.lbf) : 950 N.m(Half Throttle:701 ft.lbf) : 1200 rpm
Capacity	Bolt Diameter	: 32mm(1 1/4")
Weight	Without fuel	: 19.50kg(42.99 lbs)

"Yellow Guppy"Carrying Case





No.3500 GP W450mm×L920mm×H430mm Weight: 6kg(Case only)

Details are described in separate instruction manuals.

VESSEL Co., Inc.17-25, Fukae-Kita 2-chome, Higashinari-ku, Osaka 537-0001 JAPAN Tel: +81(0)6 6976 7778 Fax: +81(0)6 6972 9441

VESSEL EUROPE

6, avenue du 1er Mai, ZAE Les Glaises, 91120 Palaiseau FRANCE Tel : +33(0)1 69 19 17 42 Fax : +33(0)1 69 19 42 20

E-mail: export@vessel.co.jp URL: http://www.vessel.co.jp/english/

Distributed by

17071921.003 Printed in Japan