Wiha Werkzeuge GmbH

Obertalstraße 3–7 78136 Schonach/Germany Phone +49 7722 959-0 Fax +49 7722 959-159 Inland Fax +49 7722 959-155 Export info.de@wiha.com www.wiha.com

Wiha Tools Ltd.

17 The Courtyard Buntsford Gate Bromsgrove B60 3DJ Phone +44 1527 57 57 58 +44 1527 91 09 86 Fax +44 1527 91 00 23 info.uk@wiha.com www.wiha.com/en

Wiha France SARL

Z. A. de Terrefort 33520 Bruges/France Phone +33 5 56 16 79 35 Fax +33 5 56 16 79 36 servicecommercial@wiha.fr www.wiha.com/fr

Wiha Nordic A/S

Korskildelund 6 2670 Greve/Denmark Phone +45 70 23 80 45 info.nordic@wiha.com www.wiha.com

Wiha Iberia Willi Hahn S.A.

Av. del Rey Juan Carlos I, 98. 3°C 28916 Leganés/Madrid, Spain Phone +34 91 693 85 11 Fax +34 91 693 63 83 iberia@wiha.com www.wiha.com/es

Wiha Polska Sp. z o.o. ul. Budowlanych 10b 80-298 Gdańsk/Poland Phone +48 58 762 38 30 Fax +48 58 762 39 00 info.pl@wiha.com www.wiha.com/pl

Wiha in Russia

Phone +48 58 762-38-30 Fax +48 58 762-39-00 michal.moczynski@wiha.com www.wiha.com

Willi Hahn Corp.

1348, Dundas Circle Monticello, MN 55362/USA Phone +1 763 2 95 65 91 Fax +1 763 2 95 65 98 cservice@wihatools.com www.wihatools.com

Wiha Tools Canada Ltd.

394 Deerhurst Drive L6T 5H9, Brampton, ON Phone +1 866 494 0096 Fax +1 800 494 7456 info@wihatools.ca www.wihatools.ca

Wiha Asia Pacific Pte. Ltd.

25 International Business Park #02-102 German Centre Singapore 609916 Phone +65 6563 1277 Fax +65 6563 7168 info.sg@wiha.com www.wiha.com

Wiha Tools (Shanghai) Co.Ltd.

Rm14B Zhaofeng Universe Building 1800 Zhongshanxi Road Shanghai 200235 China Phone +86 21 6440 1119 Fax +86 21 6440 1112 info@wiha.com.cn

Wiha en Belgique Phone +32 49 35 054 50

www.wiha.com.cn

info.belux@wiha.com www.wiha.com

Wiha in Nederland

Phone +31 64 63 113 30 info.nl@wiha.com www.wiha.com/nl

Wiha in Italia

Thoelke Rappresentanze Srl Phone +39-0332-966039 info.it@wiha.com www.wiha.com/it

Premium Tools Australia Pty Ltd.

PO Box 63 Bargo, NSW 2574 Phone +61 02 4664 1460 Fax +61 02 8088 7272 sales@wiha.com.au www.wiha.com.au Premium Tools (NZ) Ltd.

Unit 5C 89 Ellice Road Wairau Valley Auckland, New Zealand

Phone +64 09 444 2560 Fax +64 09 355 0411 sales@wiha.co.nz www.wiha.co.nz

Robert Rieffel AG

Widenholzstrasse 8 8304 Wallisellen/Switzerland Phone +41 44 877 33 33 Fax +41 44 877 33 22 info@rieffel.ch www.rieffel.ch

Ш

EN (

ž


electricians

for

Wiha tools

Witna









Wiha - our goal: your success

- Your guarantee for quality Winner of the Manufacturing Excellence Awards 2014 as the best SME in Germany.
- Reliable and dependable German family-owned company with more than 75 years of experience.
- Your advantage Customised problem-solving for professionals.
- Cutting-edge technology
 Award-winning innovations valued by
 professionals throughout the world.

What makes your work easier? Tools that increase your efficiency, reduce costs and preserve your health. This is why Wiha develop, design and manufacture products that meet the highest functionality, durability and ergonomic demands.

Founded over 75 years ago as a small family-owned business for standard parts and screws, Wiha have grown to become a global company with factories all over Europe, Asia and the United States and are still owner-operated by the Hahn family.

Wiha offer the professional a wide range of high-quality premium tools, characterized by their use of the latest manufacturing technologies, application-oriented innovations, ergonomic superiority, top quality, absolute reliability and long service life. In short, tools that make your work noticeably easier - tools that work for you.

VDE-insulated tools from Wiha

To work safer, more efficientlyand with less strain on the body.



Ergonomic excellence! Wiha is the world's first hand tool manufacturer to receive the AGR seal for its Inomic[®] pliers and ergonomic handle design on screwdrivers.

professionals

This distinction enjoys broad acceptance by medical



Certified safety - from our own safety testing procedure according to IEC standards.

Voltage testing: All Wiha VDE-tools, which have special markings, are individually tested at 10,000 V AC and are approved for 1,000 V AC and 1,500 V DC.

Cold shock test: Cooling down to -25° C. The skinning material must retain its toughness, so that it doesn't break when subjected to shock and knocks.

Test of electrical skinning properties: 24 hours storage in water, then 3 minutes test at 10,000 V AC. There must neither be flashover nor disruptive discharge.

Test of the adhesion of the skinning material coating: 168 hours storage at 70° C, then test of adhesion at 500 N.

Pressure tests: Test at 20 N pressure load, 70° C temperature and 5,000 V AC test voltage. No disruptive discharge may occur.

Test of combustion behaviour: The tools are subjected to a flame for 10 seconds. The skinning material must then extinguish and not continue to burn.

Protective measures: See page 113

As an internationally recognized institute, the VDE is responsible for the testing and certification of electrotechnical products. Wiha provides the professional with a broad range of VDE products, developed and continuously optimized specifically for electricians, which also provide application oriented solutions for everyday use.

The Wiha quality-management system according to ISO 9001:2015 ensures that only first-class products are manufactured – and that you can work with products of excellent quality. To ensure maximum safety for the user, the entire Wiha VDE range must undergo the most stringent inspections and individual tests. All Wiha VDE-tools hold multiple certifications: The VDE-GS mark stands for safety with regard to any risk, from electrical right up to radiological. Products labelled with a double triangle and a voltage range are suitable for work with live parts.

The international standard IEC 60900 defines the construction, safety as well as single, series, and random testing of insulated tools. But with Wiha you don't just work safer, but also healthier and more efficiently. Specially developed ergonomic geometries ensure comfortable handling that protects the body from strain. The result: easier work, less signs of fatigue, more efficiency.

Fastening/ jamming


Trimming/ cutting

Supplying/ holding




Competence XXL 2 electrician's tool set Page 12	Tool set service technician Page 14	Tool set electrician Page 18	Tool set electrician Page 19	Bit set for mounting Page 20	Tool set insulated Page 21	L-k Pag
	HILLING AND	AALA Constant				
Torque screwdriver TorqueVario®-S electric Page 28	Screwdriver with bit magazine LiftUp electric Page 38	Screwdriver SoftFinish [®] electric slimFix Page 46	Insulated reversible ratchet Page 55	Bit Professional 70 mm Page 58	Screwdriver with bit magazine magnetic Page 61	L-k Pag
wiba 🌒	who C				ette B	
easyTorque torque set electric adapter Page 31	Screwdriver with bit holder set SoftFinish® electric slimVario® Page 41	Fine screwdriver PicoFinish electric Page 52	Bit holder CentroFix Super Slim mechanically lockable Page58	Screwdriver with bit magazine LiftUp 25 magnetic Page 61	BitBuddy® TY bit set, 29 mm Page 64	Scr Pag
BiCut [®] Professional electric high-performance diagonal cutters with DynamicJoint [®] Page 78	Combination pliers Professional electric with DynamicJoint [®] and OptiGrip Page 79	Diagonal cutters Professional electric with DynamicJoint [®] Page 80	Cable cutter Professional electric Page 80	Precision mechanic's diagonal cutters Classic Page 81	Electrical shears Page 81	
Combination pliers Professional electric with DynamicJoint [®] and OptiGrip Page 85	Water pump pliers Professional electric Page 85	Water pump pliers Professional electric Page 85	Needle nose pliers Professional electric Page 86	Long flat-nose pliers Professional electric Page 86	Needle nose pliers Professional electric Page 86	Circ Mag Pag
	0					۷
Installation pliers TriCut Professional electric Page 96	Stripping diagonal cutters Professional electric with DynamicJoint [®] Page 96	Stripping pliers Professional electric Page 96	Needle nose pliers Inomic [®] VDE Page 97	Stripping tool Page 97	Stripping tool automatic Page 98	Aut Pag
	Fage 90					
Flashlight with LED, laser and UV light Page 104	Torque QuickCheck torque testing device Page 105	Voltage tester Volt Detector non-contact, single-pole, 230-1,000 V AC Page 106	Voltage tester SoftFinish® single-pole, 110-250 volts Page 106	Electrician's Longlife® folding ruler, 2 m Page 106	Electrician's spirit level Page 107	
		22 (сь. нійа	atta a	wiha • 🔔	e 0	
SoftFinish [®] dowel racket set with dowels Page 112	Electrician's hammer Page 112					

6 Tools that work for you







A wide range of tools – so the right one is always to hand when you need it.

Tools triat works for Your

Protects your health

The patented and multiple award-winning Wiha SoftFinish[®] handle size concept prevents occupational illnesses as work is kind to hands and muscles. Recommended by German doctors and therapists from the AGR! (Healthy back association)

Offers you full protection

Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Increases your safety

Wiha slim tools ensure full and fully-insulated access to low-lying screws.

The range. Cases that really deliver.

The professional often has reservations about conventional tool boxes: too inaccessible, little storage space, not robust enough. Deficiencies that Wiha has taken to heart – and eliminated –in the development of its case sets.

Wiha cases therefore combine many good qualities: Stable inline rollers allow easy and stress-freetransportation of tools. The durable PP-plastic with reinforced plastic elements ensures a longlifespan. Gas-filled shock absorbers hold the cover in all positions and reduce the risk of injury whenclosing. Tool trays ensure quick and easy access to the tool, the case itself provides a lot of extra storage space for small items and machines. And, last but not least, you can easily access the right tool, whenever it is needed.

"A case with all major Wiha tools and innovations - like Christmas for the electrician!" Rolf Muschal

8 **wiha**







Whether next door or at the most remote site: It's greatif the tool you need is quickly at hand. Compact, handyand robust, the Wiha toolbox set ensures access tothe tools you require, at any time and in any situation. Specially compiled according to varying requirementsand applications, the Wiha toolbox sets have one thingin common: All include high-quality tools in provenWiha quality, guaranteeing easy and efficient working. Ergonomic in design, durable in material and processing, and safe thanks to rigorous and extensive safety test procedures, Wiha tools prove to be a practical and indispensable companion for the electrician, especially in their toolbox set.



10 **wiha**

- Increases your efficiency

 A wide range of tools so the right one is always to hand when you need it.

 Meets your requirements
- Robuust, groot, duurzaam en veilig met dekseluithouder
- Lowers your costs The correct torque avoids damaging material and no follow-up work is necessary.
- Increases your safety Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.





Bactrician		17-		×
------------	--	-----	--	---

Meets your requirements: Case: robust, large, stable and secure with lid brake. **Lowers your costs:** The correct torque protects material from damage and ensures no additional follow-up work. **Protects your health:** Wiha pliers require less force and reduce pressure on wrists. Ergonomic handle design makes work easier and prevents occupational illnesses. Trolley with stable in-line rollers allow easy and stress-free transportation of tools to the work area. **Increases your efficiency:** A comprehensive tool assortment, always providing you with the right tool when it is needed. The design and function of the tool trays guarantee quick and easy access to tools. **Increases your flexibility :** Ample space for additional tools and lots of storage for small parts and machines.

Order-No.

42069	
Fastenin	ng/ jamming
	Torque screwdriver set TorqueVario®-S electric (36791)
⊖⊛⊛⊛	1 x Torque screwdriver TorqueVario®-S electric variably settable torque li with long handle /1 x slimBit bit holder electric, locked mechanically for
ি ক কে ক	LiftUp electric1 x 2,5 / 1 x 3,0 / 1 x 5,5 / 1 x 6,5 / 1 x PH1 / 1 x PH2
	1 x T20 / 1 x T25
	Screwdriver with bit magazine LiftUp electric (41234) 1 x 2,5 /1 x 3,5 /
0	Screwdriver with bit holder SoftFinish® electric slimVario Stubby for slimE
*	Bit slimBit electric Pozidriv, Tool tested at 10,000 V AC / PZ2 x 75 (34)
θ	Screwdriver SoftFinish® electric slimFix Slotted, Tool tested at 10,000 V
+	Screwdriver SoftFinish® electric slimFix Phillips, Tool tested at 10,000 V
*	Screwdriver SoftFinish® electric slimFix Pozidriv, Tool tested at 10,000 V
-	Screwdriver SoftFinish [®] electric slimFix PlusMinus/Pozidriv, Tool tested a
۲	SL/PZ1 x 80 (36329) / SL/PZ2 x 100 (36330)
~	Screwdriver SoftFinish® electric slimFix TORX® Tamper Resistant (with he
۲	(41142) / T20H x 100 (41143) / T25H x 125 (41144)
0	Screwdriver SoftFinish® electric Hex nut driver, Tool tested at 10,000 V A
<u> </u>	5,5 x 125 (00856) / 7 x 125 (00858) / 8 x 125 (00859) / 10 x 125 (00861
Ð	Fine screwdriver PicoFinish electric Phillips, Tool tested at 10,000 V AC
0	Fine screwdriver PicoFinish electric Slotted, Tool tested at 10,000 V AC
⊖⊕००	O Switch cabinet key pen shape 1/4" in blister pack 5-8 x 9 (39076)
\ominus	Screwdriver SoftFinish® Slotted with one-piece hexagonal blade and sol
.	XLSelector Y bit set, 25 mm (41832)
€ € €	PH1 x 25 / PH3 x 25 / PZ1 x 25 / PZ2 x 25 / PZ3 x 25 / T10 x 25 / T15 Bit holder magnetic, 58 mm 1/4"
	L-key set in ErgoStar holder (41979) 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10
• Trimmin	g/ cutting
X	Professional BiCut® high-performance diagonal cutters with DynamicJoi
Ţ	Diagonal cutters Professional electric with DynamicJoint®, Tool tested at 10,
(Cable cutter Professional electric, Tool tested at 10,000 V AC / 200 m
ζ	Precision mechanic's diagonal cutters Classic with opening spring 125 r
A	
Supplyin	ng/ holding
Supplyir	ng/ holding Combination pliers Professional electric with DynamicJoint [®] and OntiGri
Supplyir	
Supplyir	Combination pliers Professional electric with DynamicJoint® and OptiGrij (26708)
Supplyir ●	Combination pliers Professional electric with DynamicJoint® and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a
Supplyir ● ●	Combination pliers Professional electric with DynamicJoint® and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool
Supplyir ● ●	Combination pliers Professional electric with DynamicJoint® and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool
•	Combination pliers Professional electric with DynamicJoint® and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To
•	Combination pliers Professional electric with DynamicJoint [®] and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450)
•	Combination pliers Professional electric with DynamicJoint® and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450) g/ insulating/ crimping
•	Combination pliers Professional electric with DynamicJoint [®] and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450) g/ insulating/ crimping Installation pliers TriCut Professional electric 170 mm, 7" (38552) Stripping tool with self-rotating trailing blade 165 mm, 6½" (35969)
•	Combination pliers Professional electric with DynamicJoint [®] and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450) g/ insulating/ crimping Installation pliers TriCut Professional electric 170 mm, 7" (38552) Stripping tool with self-rotating trailing blade 165 mm, 6½" (35969) Stripping tool automatic up to 16 mm ² in blister pack 32 - 5, 0,03 - 16 n
•	Combination pliers Professional electric with DynamicJoint [®] and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450) g/ insulating/ crimping Installation pliers TriCut Professional electric 170 mm, 7" (38552) Stripping tool with self-rotating trailing blade 165 mm, 61/2" (35969) Stripping tool automatic up to 16 mm ² in blister pack 32 - 5, 0,03 - 16 m Automatic crimp tool for wire-end sleeves hex crimping 210 mm, 0,08-1
•	Combination pliers Professional electric with DynamicJoint [®] and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450) g/ insulating/ crimping Installation pliers TriCut Professional electric 170 mm, 7" (38552) Stripping tool with self-rotating trailing blade 165 mm, 61/2" (35969) Stripping tool automatic up to 16 mm ² in blister pack 32 - 5, 0,03 - 16 m Automatic crimp tool for wire-end sleeves hex crimping 210 mm, 0,08-1
● ● Strippin	Combination pliers Professional electric with DynamicJoint [®] and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450) g/ insulating/ crimping Installation pliers TriCut Professional electric 170 mm, 7" (38552) Stripping tool with self-rotating trailing blade 165 mm, 6½" (35969) Stripping tool automatic up to 16 mm ² in blister pack 32 - 5, 0,03 - 16 m Automatic crimp tool for wire-end sleeves hex crimping 210 mm, 0,08-1 Crimp tool for insulated cable eyes and contacts 220mm, 0,5-6 mm ² (3
● ● Strippin	Combination pliers Professional electric with DynamicJoint® and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450) g/ insulating/ crimping Installation pliers TriCut Professional electric 170 mm, 7" (38552) Stripping tool with self-rotating trailing blade 165 mm, 6½" (35969) Stripping tool automatic up to 16 mm ² in blister pack 32 - 5, 0,03 - 16 m Automatic crimp tool for wire-end sleeves hex crimping 210 mm, 0,08-1 Crimp tool for insulated cable eyes and contacts 220mm, 0,5-6 mm ² (3 Electrical shears with crimp function in blister pack 160 mm (41923) ng/ marking/ measuring/ checking
 Stripping Stripping Surveyir 	Combination pliers Professional electric with DynamicJoint [®] and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450) g/ insulating/ crimping Installation pliers TriCut Professional electric 170 mm, 7" (38552) Stripping tool with self-rotating trailing blade 165 mm, 6½" (35969) Stripping tool automatic up to 16 mm ² in blister pack 32 - 5, 0,03 - 16 n Automatic crimp tool for wire-end sleeves hex crimping 210 mm, 0,08-1 Crimp tool for insulated cable eyes and contacts 220mm, 0,5-6 mm ² (3 Electrical shears with crimp function in blister pack 160 mm (41923) ng/ marking/ measuring/ checking
 Stripping Stripping Surveyir 	Combination pliers Professional electric with DynamicJoint [®] and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450) g/ insulating/ crimping Installation pliers TriCut Professional electric 170 mm, 7" (38552) Stripping tool with self-rotating trailing blade 165 mm, 6½" (35969) Stripping tool automatic up to 16 mm ² in blister pack 32 - 5, 0,03 - 16 m Automatic crimp tool for wire-end sleeves hex crimping 210 mm, 0,08-1 Crimp tool for insulated cable eyes and contacts 220mm, 0,5-6 mm ² (3 Electrical shears with crimp function in blister pack 160 mm (41923) ng/ marking/ measuring/ checking Voltage tester Volt Detector non-contact, single-pole, 230-1,000 VAC (3 Voltage tester SoftFinish [®] single-pole, 110-250 volts (34745)
€ ● Strippin	Combination pliers Professional electric with DynamicJoint [®] and OptiGri (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450) g/ insulating/ crimping Installation pliers TriCut Professional electric 170 mm, 7" (38552) Stripping tool with self-rotating trailing blade 165 mm, 6½" (35969) Stripping tool automatic up to 16 mm ² in blister pack 32 - 5, 0,03 - 16 m Automatic crimp tool for wire-end sleeves hex crimping 210 mm, 0,08-1 Crimp tool for insulated cable eyes and contacts 220mm, 0,5-6 mm ² (3 Electrical shears with crimp function in blister pack 160 mm (41923) ng/ marking/ measuring/ checking Voltage tester Volt Detector non-contact, single-pole, 230-1,000 VAC (3 Voltage tester SoftFinish [®] single-pole, 110-250 volts (34745)
 Stripping Stripping Surveyir 	Combination pliers Professional electric with DynamicJoint® and OptiGrip (26708) Needle nose pliers Professional electric with cutting edge curved shape, a Needle nose pliers Professional electric with cutting edge straight shape, Tool Water pump pliers Professional electric with push button adjustment, To 250 mm, 10" (37450) g/ insulating/ crimping Installation pliers TriCut Professional electric 170 mm, 7" (38552) Stripping tool with self-rotating trailing blade 165 mm, 6½" (35969) Stripping tool automatic up to 16 mm ² in blister pack 32 - 5, 0,03 - 16 n Automatic crimp tool for wire-end sleeves hex crimping 210 mm, 0,08-1 Crimp tool for insulated cable eyes and contacts 220mm, 0,5-6 mm ² (32 Electrical shears with crimp function in blister pack 160 mm (41923) ng/ marking/ measuring/ checking Voltage tester Volt Detector non-contact, single-pole, 230-1,000 VAC (3 Voltage tester SoftFinish® single-pole, 110-250 volts (34745) Flashlight with LED, laser and UV light in blister pack, including 3 AAA ba

12 **vinc**

9300-704
1
ue limit, Tool tested at 10,000 V AC /1 x Adjusting tool for torque screwdriver
for VDE torque screwdriver with long handleScrewdriver with bit magazine
PH2 / 1 x PZ1 PZ2 / 1 x SL/PZ1 / 1 x SL/PZ2 / 1 x T9 / 1 x T10 / 1 x T15 /
3,5 /1 x 5,5 /1 x PZ1 PZ2 /1 x SL/PZ2
slimBits (41229)
5 (34586)
0 V AC / 3,5 x 100 (35446) / 5,5 x 125 (35391) / 6,5 x 150 (35392)
0 V AC / PH1 x 80 (35393) / PH2 x 100 (35394)
00 V AC / PZ1 x 80 (35395) / PZ2 x 100 (35396)
ted at 10,000 V AC /
ith hole), Tool tested at 10,000 V AC $/$ T10H x 100 (41141) $/$ T15H x 100 $$
DVAC /
0861) / 13 x 125 (00864)
AC / PH0 x 60 (38880)
AC / 2,5 x 60 (38876)
d solid steel cap 3,5 x 75 (03223) / 12,0 x 200 (03231)
T15 x 25 / PH2 x 25 / T20 x 25 / T25 x 25 / T30 x 25 / T40 x 25 /
/ 10
icJoint® switchable, Tool tested at 10,000 V AC / 200 mm, 8" (38191)
at 10,000 V AC / 160 mm, 6 ½" (26741)
00 mm, 8" (34744)
125 mm, 5" (36189)
tiGrip with extra long cutting edge, Tool tested at 10,000 V AC / 180 mm, 7"
pe, approx. 40°, Tool tested at 10,000 V AC / 200 mm, 8" (26729)
Tool tested at 10,000 V AC / 200 mm, 8" (26727)
t, Tool tested at 10,000 V AC /
10
16 mm² (42062)
08-16 mm² (41246)
n² (33841)
)
C (37871)
AA batteries (41286)
8)
- 1







Meets your requirements: Case: robust, large, stable and secure with lid brake. Lowers your costs: The right tool protects you from damaging materials and avoids subsequent work. Increases your safety: Internationally award-winning VDE-insulated tools, each individually tested at 10,000 V AC and approved for use at 1,000 V AC. Gas-filled shock absorbers hold the lid in all positions and reduce the risk of injury when closing. Protects your health: Wiha pliers require less force and reduce pressure on wrists. Ergonomic handle design makes work easier and prevents occupational illnesses. Carry belt enables the simple transport of the tool case and keeps hands free for other materials. Increases your efficiency: A comprehensive tool assortment, always having the right tool at hand when needed. The design and function of the tool trays guarantee quick and easy access to tools. Increases your flexibility : Ample space for additional tools and lots of storage for small parts and machines.

assorted 80-pcs. in case

Order-No.	
40523	
Trimming	g/ cutting
X	Professional BiCut [®] high-performance diagonal cutters with DynamicJo
X	Diagonal cutters Professional electric with DynamicJoint [®] , Tool tested a
Κ	Precision mechanic's diagonal cutters Classic with opening spring 125
Stripping	/ insulating/ crimping
X	Installation pliers TriCut Professional electric 170 mm, 7" (38552)
	Stripping tool automatic up to 6 mm ² in blister pack 190 mm, 7½" (360
	Stripping tool with self-rotating trailing blade 165 mm, 6½" (35969)
•	Crimp tool for wire-end sleeves 220 mm, 0,14-10 mm ² (33844)
Supplyin	g/ holding
	Water pump pliers Professional electric with push button adjustment, 7 250 mm, 10" (37450)
•	Needle nose pliers Professional electric with cutting edge curved shape
	Combination pliers Professional electric with DynamicJoint [®] and OptiG (26708)
•	Needle nose pliers Professional electric with cutting edge straight shap 200 mm, 8" (26727)
Surveyin	g/ marking/ measuring/ checking
	Voltage tester Volt Detector non-contact, single-pole, 230-1,000 VAC (
θ	Voltage tester SoftFinish [®] single-pole, 110-250 volts (34745)
	Folding ruler Longlife ² m metric, 10 segments (27057)
	Switch cabinet spirit level (36859)
Fastening	g/ jamming
0	Screwdriver SoftFinish® electric Hex nut driver, Tool tested at 10,000 V 5,5 x 125 (00856) / 7 x 125 (00858) / 8 x 125 (00859) / 10 x 125 (0086
e	Screwdriver SoftFinish® electric slimFix Slotted, Tool tested at 10,000 \ 150 (35392)
Ð	Screwdriver SoftFinish® electric slimFix electric PlusMinus/Phillips, Tool
۲	Screwdriver SoftFinish® electric slimFix PlusMinus/Pozidriv, Tool tested SL/PZ1 x 80 (36329) / SL/PZ2 x 100 (36330)
Ð	Screwdriver SoftFinish® electric slimFix Phillips, Tool tested at 10,000 V
*	Screwdriver SoftFinish® electric slimFix Pozidriv, Tool tested at 10,000
\ominus	Screwdriver SoftFinish® Slotted with one-piece hexagonal blade and s
⊖⊕००₀	Switch cabinet key cross shape (36114)
$\ominus \oplus \circledast$	Screwdriver with bit magazine LiftUp electric (38611)1 x 3,0 /1 x 4,0
۲	L-key set in Compact holder (01418) 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 /
⊖⊕\$\$\$	Bit set XLSelector Standard 25 mm (29417) 1 x 4,5 / 1 x 5,5 / 1 x 6,5 / 2 x PH1 / 4 x PH2 / 1 x PH3 / 2 x PZ1 1 x T40 / 1 x Bit holder magnetic, 58 mm 1/4"

14 **wiha**

Range of Applications

	1
cJoint [®] switchable, Tool tested at 10,000 V AC / 200 mm, 8"	(38191)
ed at 10,000 V AC / 180 mm, 7" (26744)	(/
25mm, 5" (36189)	
36050)	
t, Tool tested at 10,000 V AC /	
ape, approx. 40°, Tool tested at 10,000 V AC / 200 mm, 8" (26	6729)
tiGrip with extra long cutting edge, Tool tested at 10,000 V AC	/ 180 mm, 7"
nape, Tool tested at 10,000 V AC /	
C (37871)	
)VAC /	
0861)	
0 V AC / 3,5 x 100 (35446) / 4,0 x 100 (35390) / 5,5 x 125 (3	5391) / 6,5 x
ool tested at 10,000 V AC / SL/PH1 x 80 (35502) / SL/PH2 x	100 (35503)
ted at 10,000 V AC /	
ed at 10,000 v AC /	
0 V AC / PH1 x 80 (35393) / PH2 x 100 (35394)	
00 V AC / PZ1 x 80 (35395) / PZ2 x 100 (35396)	
1 solid steel cap 12.0 x 200 (03231)	
,0 /1 x 5,5 /1 x PH1 /1 x PH2 /1 x SL/PZ2	
/10	
Z1/5x PZ2/1x PZ3/2x T10/2x T15/2x T20/3x T2	25/2×T30/



Tool set electrician





Meets your requirements: Carefully selected tool ranges for the most common applications. **Increases your safety:** Wiha slim blades ensure unlimited, protected access to deep-set screws. Internationally award-winning VDE-insulated tools, each individually tested at 10,000 V AC and approved for use at 1,000 V AC. **Increases your efficiency:** Compact and space-saving tool range.

assorted 29-pcs. in bag 9300-030 Order-No. 37137 1 Trimming/ cutting Diagonal cutters Professional electric with DynamicJoint®, Tool tested at 10,000 V AC / 160 mm, 6 1/2" (26741) Diagonal cutters Electronic wide, pointed head without bevelled edge 138 mm, 5 1/2" (26818) Stripping/ insulating/ crimping Stripping tool with self-rotating trailing blade 165 mm, 61/2" (35969) Stripping tool automatic up to 10 mm² in blister pack190mm, 7½" (33847) Supplying/ holding Needle nose pliers Professional electric with cutting edge straight shape, Tool tested at 10,000 V AC / 200 mm, 8" (26727) Needle nose pliers Electronic narrow, short head straight form 135 mm, 5 1/2" (26801) Surveying/ marking/ measuring/ checking \ominus Voltage tester SoftFinish® single-pole, 110-250 volts (34745) Fastening/ jamming Screwdriver SoftFinish® electric slimFix Slotted, Tool tested at 10,000 V AC / 3,5 x 100 (35446) / 5,5 x 125 (35391) \ominus Screwdriver SoftFinish® electric slimFix Phillips, Tool tested at 10,000 V AC / PH1 x 80 (35393) / PH2 x 100 (35394) Ð Screwdriver SoftFinish® electric slimFix Pozidriv, Tool tested at 10,000 V AC / PZ1 x 80 (35395) / PZ2 x 100 (35396) Fine screwdriver PicoFinish Slotted 1,5 x 40 (00478) / 2,0 x 40 (00482) / 2,5 x 50 (00486) / 3,0 x 50 (00490) Θ Ð Fine screwdriver PicoFinish Phillips PH00 x 40 (00512) / PH0 x 50 (00511) ⊖ ⊕ � O Switch cabinet key cross shape (36114) L-key set in Compact holder (01418) 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10



Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: Compact and space-saving tool range. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

	0-pc	s. In bag
driver, diagonal cutters, 6-pcs. in bag 9	300-018	Z 99 0 002 0
No. 🚍	Order	r-No. 👝
1	2675	5 1
ning/ jamming	Fast	ening/ jamming
Screwdriver SoftFinish® electric Slotted, Tool tested at 10,000 V AC / 3,5 x 100 (00822) / 4,5 x 125 (00824) / 5,5 x 125 (00826)	θ	Screwdriver SoftFinish [®] electric Slotted, Tool tested at 10,000 V AC / 3,5 x 100 (00822) / 5,5 x 125 (00826)
Screwdriver SoftFinish® electric Phillips, Tool tested at 10,000 V AC / PH1 x 80 (00847) / PH2 x 100 (00848)	Ð	Screwdriver SoftFinish [®] electric Phillips, Tool tested at 10,000 V AC / PH2 x 100 (00848)
ning/ cutting	Supp	olying/ holding
Diagonal cutters Professional electric with DynamicJoint®, tested at 10,000 V AC / 160 mm, 6 ½" (26741)	Tool	Needle nose pliers Professional electric with cutting edge straigh shape, Tool tested at 10,000 V AC / 200 mm, 8" (26727)
	Trim	ming/ cutting
	X	Diagonal cutters Professional electric with DynamicJoint [®] , Tool tested at 10,000 V AC / 160 mm, 6 ½" (26741)
	No. 1 ning/ jamming Screwdriver SoftFinish® electric Slotted, Tool tested at 10,000 V AC / 3,5 x 100 (00822) / 4,5 x 125 (00824) / 5,5 x 125 (00826) Screwdriver SoftFinish® electric Phillips, Tool tested at 10,000 V AC / PH1 x 80 (00847) / PH2 x 100 (00848) ning/ cutting Diagonal cutters Professional electric with DynamicJoint®,	driver, diagonal cutters, 6-pcs. in bag 9300-018 No. ● 1 2675 ning/ jamming Fast Screwdriver SoftFinish® electric Slotted, Tool tested at 1 10,000 V AC / 3,5 x 100 (00822) / 4,5 x 125 (00824) / ● 5,5 x 125 (00826) ● Screwdriver SoftFinish® electric Phillips, Tool tested at ● 10,000 V AC / PH1 x 80 (00847) / PH2 x 100 (00848) ● ning/ cutting Supp Diagonal cutters Professional electric with DynamicJoint®, Tool ● Listed at 10,000 V AC / 160 mm, 6 ½" (26741) ●





Increases your efficiency: Compact and space-saving tool range. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

screwdriver, needle nose pliers, diagonal cutters, 5-pcs. in bag







Meets your requirements: Carefully selected tool ranges for the most common applications. **Increases your safety:** Internationally awardwinning VDE-insulated tools, each individually tested at 10,000 V AC and approved for use at 1,000 V AC. **Protects your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** Compact and space-saving tool range.

assorted 12-pcs. in bag

		9300
Order-I	No.	-
36389		1
Faster	ning/ jamming	
θ	Screwdriver SoftFinish® electric slimFix Slotted, Tool tested at 10,000 V AC / 3,5 x 100 (35446) / 4,5 x 125 (35501) / 5,5 x	125 (35391)
\$	Screwdriver SoftFinish® electric slimFix Pozidriv, Tool tested at 10,000 V AC / PZ1 x 80 (35395) / PZ2 x 100 (35396)	
Surve	ying/ marking/ measuring/ checking	
θ	Voltage tester SoftFinish® single-pole, 110-250 volts (34745)	
	Folding ruler Longlife ² m metric, 10 segments (27057)	
Supply	ying/ holding	
•	Needle nose pliers Professional electric with cutting edge straight shape, Tool tested at 10,000 V AC / 200 mm, 8" (26727)	
Trimm	ing/ cutting	
5	Cable cutter Professional electric, Tool tested at 10,000 V AC / 200 mm, 8" (34744)	
Stripp	ing/ insulating/ crimping	
	Stripping tool automatic up to 6 mm ² in blister pack 190 mm, 7½" (36050)	
	Stripping tool with self-rotating trailing blade 165 mm, 61/2" (35969)	





Increases your safety: Wiha slim blades ensure unlimited, protected access to deep-set screws. **Protects your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** Compact and spacesaving tool range. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

screwdriver, heavy-duty diagonal cutte	rs, 7-pcs.
in bag	

	9300-031
Order-No). —
38020	1
Fastenir	ng/ jamming
θ	Screwdriver SoftFinish® electric slimFix Slotted, Tool tested at 10,000 V AC / 3,5 x 100 (35446) / 4,0 x 100 (35390) / 5,5 x 125 (35391)
Ð	Screwdriver SoftFinish [®] electric slimFix Phillips, Tool tested at 10,000 V AC $/$ PH2 x 100 (35394)
8	Screwdriver SoftFinish® electric slimFix Pozidriv, Tool tested at 10,000 V AC / PZ2 x 100 (35396)
۲	Screwdriver SoftFinish® electric slimFix PlusMinus/Pozidriv, Tool tested at 10,000 V AC / SL/PZ2 x 100 (36330)



18 **wiha** 🗠







Simplifies your work: Free hands and no damage to work trousers thanks to pouch attached to belt. Increases your safety: Wiha slim blades ensure unlimited, protected access to deep-set screws. Internationally award-winning VDE-insulated tools, each individually tested at 10,000 V AC and approved for use at 1,000 V AC. Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: All main tools quickly accessible, always at hand.

assorted slotted, Phillips, 10-pcs. in belt pouch

	9300-012-01
Order-No.	—
40948	1
Supplying	g/ holding
•	Needle nose pliers Professional electric with cutting edge straight shape, Tool tested at 10,000 V AC / 200 mm, 8" (26727)
Stripping	/ insulating/ crimping
٥	Stripping pliers Professional electric 160 mm, 6 1⁄2" (26847)
	Stripping tool with self-rotating trailing blade 165 mm, 6½" (35969)
Fastening	g/ jamming
θ	Screwdriver SoftFinish® electric slimFix Slotted, Tool tested at 10,000 V AC / 3,5 x 100 (35446) / 4,0 x 100 (35390) / 5,5 x 125 (35391)
Ð	Screwdriver SoftFinish® electric slimFix Phillips, Tool tested at 10,000 V AC / PH1 x 80 (35393) / PH2 x 100 (35394)
Surveying	g/ marking/ measuring/ checking
\ominus	Voltage tester SoftFinish® single-pole, 110-250 volts (34745)
	Measuring tape 5 m (33251)



Bit set for mounting





Simplifies your work: Utmost accessibility thanks to long, 70 mm

adjustable blade length depending on application. Increases your

efficiency: All common blades in one compact set.

bits. Also ideal for machine operation. Facilitates handling: Variably



Simplifies your work: Free hands and no damage to work trousers thanks to pouch attached to belt. Increases your safety: Wiha slim blades ensure unlimited, protected access to deep-set screws. Internationally award-winning VDE-insulated tools, each individually tested at 10,000 V AC and approved for use at 1,000 V AC. Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: All main tools quickly accessible, always at hand.

assorted slotted, Pozidriv, 10-pcs. in belt pouch

Order-No.

9300-013-02	19-pcs. ii	n bag	79187 T04
7	Order-No.	-	7
	41223	1	
	۲	1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40	
edge straight	Ð	1 x PH0 / 1 x PH1 / 1 x PH2	
6727)	۲	1 x SL/PZ1 / 1 x SL/PZ2	
	\ominus	1 x 3,5 / 1 x 4,0 / 1 x 5,5	
0047		1 x 4,0 / 1 x 5,0 / 1 x 6,0	
(6847)	0	1 x Bit holder magnetic, 74 mm 1/4"	
	0	1 x Screwdriver handle SoftFinish®-telescopic for SY interchangeable blade	STEM 6
ested at	0	1 x Bit holder SYSTEM 6 clamping with ball	

Increases your safety: Double-layered insulation provides immediate feedback on the safety condition of the tool. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

7-pcs.		Reversible ratchet and accessories 1/2" 10-pcs. 7208N K1001		
Order-No.	-	Order-No.	—	
33181	1	33184	1	
O 8 / 10 / 12 / 13 / 14 / 17 / 19		1/2" / Insulated reversible ratchet		
Manufactured according to EN/IEC 60900:2012.		125 / Insulated extension		
		10 / 12 / 13 / 14 / 17 / 19 / 22 / 24		
		Manufactured according to EN/IEC 60900:2012.		

40282 1 Supplying/ holding Needle nose pliers Professional electric with cutting edge straight • shape, Tool tested at 10,000 V AC / 200 mm, 8" (26727) Stripping/ insulating/ crimping Stripping pliers Professional electric 160 mm, 6 1/2" (26847) Stripping tool with self-rotating trailing blade 165 mm, 61/2" (35969) Fastening/ jamming Screwdriver SoftFinish® electric slimFix Slotted, Tool tested at 10,000 V AC / 3,5 x 100 (35446) / 4,0 x 100 (35390) / 5,5 x 125 (35391) Screwdriver SoftFinish® electric slimFix Pozidriv, Tool tested at -10,000 V AC / PZ1 x 80 (35395) / PZ2 x 100 (35396)

 \ominus Measuring tape 5 m (33251)

Surveying/ marking/ measuring/ checking

Voltage tester SoftFinish® single-pole, 110-250 volts (34745)



Ratchet box spanner set insulated

20 **wiha**





Increases your safety: Double-layered insulation provides immediate feedback on the safety condition of the tool. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.





60900 V



Increases your safety: Double-layered insulation provides immediate feedback on the safety condition of the tool. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

15-pcs.	5590N T15
Order-No.	-
33179	1
0	6 / 7 / 8 / 9 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / 17 /

19 / 22 / 24 DIN 7446. Manufactured according to EN/IEC 60900:2012.

Single open-end spanner set insulated

Reversibl	7207N K1001	
Order-No.		-
33183		1
	3/8" / Insulated reversible ratchet	
	125 / Insulated extension	
	8 / 10 / 11 / 12 / 13 / 14 / 17 / 19	

Increases your safety: Double-layered insulation provides immediate

feedback on the safety condition of the tool. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved

Manufactured according to EN/IEC 60900:2012.


for 1,000 V AC.

L-key set insulated



Increases your safety: Double-layered insulation provides immediate feedback on the safety condition of the tool. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

internal hexagon, 7-pcs. in bag		
Order-No).	-
33182		1
	3 / 4 / 5 / 6 / 8 / 10 / 12	
	ed according to EN/IEC 60900:2012.	



²² wiha 🗠



Increases your efficiency

TAX TATTATT

Wiha screwdrivers offer an optimal balance between power and control thanks to their unique handle size concept.

שת בת כתי

Saves money

By using the correct torque value, torque tools protect against material damage and reworking.

Protects your health

The patented and multiple award-winning Wiha SoftFinish® handle size concept prevents occupational illnesses as work is kind to hands and muscles. Recommended by German doctors and therapists from the AGR! (Healthy back association)

Offers you full protection

Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Increases your safety

Wiha slim tools ensure full and fully-insulated access to low-lying screws.

Fastening/ jamming We have the know-how at the tip of our fingers.

The ergonomic quality of a tool is never quite so apparent as when fastening and clamping. Under the motto "A grasp on turning" Wiha presents an innovative handle size concept which breaks new ground in terms of individual user comfort. Many commonly available screwdrivers are not designed to meet the needs of users. This results in disadvantages in guiding the tool as well as in transmitting force while fastening. In contrast, the Wiha SoftFinish® concept works with four different handle sizes: Thus, each handle has a perfectly correlated ratio of guidance, speed and torque for any task.

The Wiha slimTECHNOLOGY offers additional comfort, permitting unrestricted access to each screw with 33 % slimmer blades.

"The idea of integrating the insulation in the blade in slimFix is fantastic. For me, this means I can work more efficiently and safely." Andreas Heizmann

²⁴ wiha 🗠





There are moments when you need to control your power.



Power is good. Controlled power is better. The fully certified Wiha VDE torque screwdriver systems TorqueVario®-S and TorqueVario®-S TR combine precision with safety: With a distinctly audible and perceptible click signal when the torque value is reached. With a release accuracy of +/-6 % of the set scale value, Wiha VDE screwdrivers meet the accuracy requirements of EN ISO 6789, BS EN 26789, ASME B107.14M. Uncompromising safety is ensured in production and testing according to IEC 60900, VDE/GS certification and individual product testing at 10,000 V AC.



- Increases your efficiency Using the correct torque prevents from rework and damaged material.
- Lowers your costs The correct torque protects you from warranty claims.
- Offers you full protection Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.
- Increases your safety Wiha slimBits grant unhindered, fully insulated access to deeplying screws.









Meets your requirements: A variably settable torque which covers a large range of usage. **Simplifies your work:** All tools securely arranged in a robust and clearly laid out bag. **Lowers your costs:** The correct torque protects you from warranty claims. **Increases your safety:** Wiha SlimBits ensure unlimited, protected access to deep-set screws. **Protects your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** The correct torque avoids damaging material and no follow-up work is necessary. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Order-N	lo.	_
36791		1
0	1 x Torque screwdriver TorqueVario®-S electric variably settable torque limit, Tool tested at 10,000 V AC, 0,8 - 5,0 Nm	
	1 x Adjusting tool for torque screwdriver with long handle	
0	1 x slimBit bit holder electric, locked mechanically for VDE torque screwdriver with long handle	
Θ	1 x 2,5 / 1 x 3,0 / 1 x 5,5 / 1 x 6,5	
Ð	1 x PH1 / 1 x PH2	
*	1 x PZ1 / 1 x PZ2	
*	1 x SL/PZ1 / 1 x SL/PZ2	
۲	1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25	



Meets your requirements: A variably settable torque which covers a large range of usage. **Simplifies your work:** All tools securely arranged in a robust and clearly laid out bag. **Lowers your costs:** The correct torque protects you from warranty claims. **Increases your safety:** Wiha SlimBits ensure unlimited, protected access to deep-set screws. **Protects your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** The correct torque avoids damaging material and no follow-up work is necessary. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

assorted, variably adjustable torque limit, 13-pcs. in bag

Order-No).
40674	
0	1 x Torque screwdriver TorqueVario®-S electric variably settable torque
	1 x Adjusting tool for torque screwdriver with long handle
0	1 x Screwdriver with bit holder SoftFinish® electric slimVario for slimBits
0	1 x slimBit bit holder electric, locked mechanically for VDE torque scre
θ	1 x 2,5 / 1 x 3,5 / 1 x 5,5
Ð	1 x PH1 / 1 x PH2
*	1 x PZ1 / 1 x PZ2
*	1 x SL/PZ1 / 1 x SL/PZ2

Manufactured acc. to IEC 60900:2012. DIN EN ISO 6789.





2872 T13
-
1
limit, Tool tested at 10,000 V AC, 0,8 - 5,0 Nm
s, Tool tested at 10,000 V AC
wdriver with long handle



easyTorque torque set electric adapter



Lowers your costs: The correct torque protects you from warranty claims. Increases your safety: Wiha SlimBits ensure unlimited, protected access to deep-set screws. Increases your efficiency: The correct torque avoids damaging material and no follow-up work is necessary. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

PlusMinus/Pozidriv variably settable torque limit 5-pcs.

		2872 \$
Order-No.		-
38074		1
0	1 x Torque screwdriver TorqueVario®-S electric variably settable torque limit, Tool tested at 10,000 V AC, 0,8 - 5,0 Nm	
0	1 x slimBit bit holder electric, locked mechanically for VDE torque screwdriver with long handle	
-	1 x Adjusting tool for torque screwdriver with long handle	
	1 x SL/PZ1 / 1 x SL/PZ2	

Torque screwdriver TorqueVario®-S electric

Adjusting tool



Meets your requirements: A variably settable torque which covers a large range of usage. Lowers your costs: The correct torque protects you from warranty claims. Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: The correct torque avoids damaging material and no followup work is necessary. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Ovariably settable torque limit

Ovariably settable torque limit					2872	
Order-No.	Nm	+7-1 %	0		+	_
26625	0,5-2,0	6 %	3,8	131	30	1
26626	0,8-5,0	6 %	3,8	138	36	1
26627	2,0-7,0	6 %		142	41	1
Manufactured a						

for torgue screwdriver with long handle 285-900 Order-No. 26864 146 90 1




Lowers your costs: The correct torque protects you from warranty claims. Increases your efficiency: The correct torque avoids damaging material and no follow-up work is necessary. 100 % compatible with the Wiha slimBit system. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

with slimVario [®] holder and SL/PZ slimBits, 4-pcs. in blister pack		29701 080 S4	for slimBits and slimVario [®] holder, 5-pcs. in blister pack 29701 St		
Order-N	0.	-	Order-No.		
41476		1	41479	1	
Nm	1 x 0,8		Nm 1 x 0,8 / 1 x 2,0 /	1 x 2,5 / 1 x 2,8 / 1 x 4,0	
	1 x SL/PZ1 / 1 x SL/PZ2				
	1 x slimVario [®] holder		easyTorque electric torque a		


with slimVario® holder and SL/PZ slimBits, 4-pcs. in

blister	mvario [®] holder and SL/PZ slimBits, 4-pcs. in pack	29701 280 S4
Order-N	lo. i	
41478	1	
Nm	1 x 2,8	
۲	1 x SL/PZ1 / 1 x SL/PZ2	
	1 x slimVario [®] holder	

blister	with slimVario [®] holder and SL/PZ slimBits, 4-pcs. in blister pack				
Order-N	lo. 4	_			
41477	1				
Nm	1 x 2,0				
۲	1 x SL/PZ1 / 1 x SL/PZ2				
	1 x slimVario® holder				



easyTorque torque set electric adapter





Lowers your costs: The correct torque protects you from warranty claims. Increases your efficiency: The correct torque avoids damaging material and no follow-up work is necessary. 100 % compatible with the Wiha slimBit system. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.





Lowers your costs: Torque tool extension for LiftUp and slimVario® screwdriver sets. The correct torque protects you from warranty claims. **Increases your efficiency:** The correct torque avoids damaging material and no follow-up work is necessary. 100 % compatible with the Wiha slimBit system. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

for slimBits and slimVario® holder in blister 297								
Order-No.	Nm	+/- %		+	-			
41341	0,8	10 %	59	5,5	1			
41342	2,0	10 %	59	5,5	1			
41343	2,5	10 %	59	5,5	1			
41344	2,8	10 %	59	5,5	1			
41345	4,0	10 %	59	5,5	1			













Increases your safety: Checking your torque tool regularly guarantees safe, precise work with the correct torque. Saves time: LED traffic light system displays results in a way which is quick and easy to understand. Increases your efficiency: Fast, easy checking of your torque tool thanks to mobile, compact shape.

with adapter blades and batteries in box

Order-No.	Nm	+/-1 %	SB		
42086	2,8	2	х		

Increases your safety:

Checking your torque tool regularly guarantees safe, precise work with the correct torque.

🔹 wiha

2.8 Nm

00

2 2.8 Nm

3-1---

Saves time:

LED traffic light system displays results in a way which is quick and easy to understand.

Increases your efficiency:

Fast, easy checking of your torque tool thanks to mobile, compact shape.







	290
1	









Increases your safety: Wiha SlimBits ensure unlimited, protected access to deep-set screws. Increases your efficiency: Extensive interchangeable blade system saves you space. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

⊖ Slotted

Slotted						2831-10
Order-No.	\ominus	=	\ominus ;	©‡	max. Nm	-
34578	2,5•	75	0,4	6.0	0,4	5
34579	3,0•	75	0,5	6.0	0,6	5
41159	3,5	75	0,6	6.0	2,5	5
34580	4,0	75	0,8	6.0	2,5	5
34581	5,5	75	1,0	6.0	5,5	5
34582	6,5	75	1,2	6.0	5,5	5
 no slim versi 						•

Manufactured acc. to IEC 60900:2012.

Phillips					2831-11
Order-No.	Ð	=	•	max. Nm	-
34583	PH1	75	6,0	3.8	5
34584	PH2	75	6,0	5.5	5
Manufactured a	cc. to IEC	60900:	2012.		

🕀 Pozidriv	/			2831-12	
Order-No.		=	١)	max. Nm	-
34585	PZ1	75	6,0	3.8	5
34586	PZ2	75	6,0	5.5	5
Manufactured	acc. to IE	C 60900	:2012.		

Hex					2831-18
rder-No.	۲	=	١	max. Nm	—
7222	1,5•	75	6,0	0.9	5
7223	2•	75	6,0	1.8	5
7224	2,5	75	6,0	3.8	5
7147	3	75	6,0	5.5	5
7225	4	75	6,0	5.5	5
7226	5	75	6,0	5.5	5
7227		75	6,0		5

Manufactured acc. to IEC 60900:2012.

TORX®					2831-15
Order-No.	۲	=	۵	max. Nm	-
35506	T8∙	75	6,0	1.3	5
41160	T9∙	75	6,0	1.3	5
35507	T10•	75	6,0	3.8	5
35508	T15	75	6,0	5.0	5
35509	T20	75	6,0	5.5	5
36071	T25	75	6,0	5.5	5
 no slim versi 					

Manufactured acc. to IEC 60900:2012.

Order-No.	۲		©‡	max. Nm	-
34589	SL/PZ1	75	6,0	3.8	5
34590	SL/PZ2	75	6,0	5.5	5

Square						2831-17
Order-No.	۲	۲	=	€ţ	max. Nm	—
35510	#1	2,3	75	6.0	5,5	5
35511	#2	2,8	75	6.0	5,5	5
Manufactured						

Bit set slimBit electric

approved for 1,000 V AC.



Increases your safety: Wiha slimBits ensure unrestricted and fully insulated access to low-lying screws. Increases your efficiency: Extensive interchangeable blade system saves you space. Offers you full protection: Each tool individually tested at 10,000 V AC and

Slotted, Phillips, 6-pcs. in box 2831 B601 Order-No. 36088 1 \ominus 1 x 2,5 / 1 x 3,5 / 1 x 4,0 / 1 x 5,5 \oplus 1 x PH1 / 1 x PH2 Manufactured acc. to IEC 60900:2012.

Slotted, Pozidriv, 6-pcs. in box 2831 E						
Order-No	-	-				
36089		1				
\ominus	1 x 2,5 / 1 x 3,5 / 1 x 4,0 / 1 x 5,5					
*	1 x PZ1 / 1 x PZ2					
	ed acc. to IEC 60900:2012.					

Slotted	Slotted, PlusMinus/Pozidriv, 6-pcs. in box 2831 B603							
Order-N		-						
36090		1						
Θ	1 x 2,5 / 1 x 3,5 / 1 x 4,0 / 1 x 5,5							
۲	1 x SL/PZ1 / 1 x SL/PZ2							
Manufact	ured acc. to IEC 60900:2012.							

Hex, 7-pcs. in box		2831 B701
Order-No.		-
38997		1
	1 x 1,5 / 1 x 2 / 1 x 2,5 / 1 x 3 / 1 x 4 /	

Manufactured acc. to IEC 60900:2012.

er-No.	۲	=	©‡	max. Nm	_
)6	T8∙	75	6,0	1.3	5
60	T9∙	75	6,0	1.3	5
)7	T10•	75	6,0	3.8	5
)8	T15	75	6,0	5.0	5
)9	T20	75	6,0	5.5	5
7.4			~ ^		E

slimBit bit holder electric, locked mechanically

$\ensuremath{\bigcirc}$ for VDE torque screwdriver with long handle

					2879
Order-No.	0		☴	⊉⊐	—
35870	6	3,8	170	13	10
Manufactured a				•••••••	



All bits in the handle, always and everywhere.



Why make things complicated, when they can be compact? The practical Wiha LiftUp electric magazine bit holder accommodates up to six common insulated slimBits - and is therefore the ideal portable companion for every electrician. The bit magazine is unlocked at the touch of a button on the two rockers, and the slimBits can easily be removed and re-inserted. A reliably locked magazine prevents anything from being lost when on the move. The rotating cap is used to make working easier: Additional axial force can be exerted by pressing strongly with the hand against the cap, while rotating around the longitudinal axis with the other hand. Uncompromising safety is ensured in production and testing according to IEC 60900, VDE/GS certifi cation and individual part testing at 10,000 V AC.

The Wiha magazine bit holder LiftUp electric is available in two content variants (TORX[®] or assorted)



- Increases your efficiency
 Wiha LiftUp electric, saves 75 % volume and 50 % less weight for 100 % efficiency.
- Protects your health No risk of injury, all blades stowed safely inside the handle.
- Offers you full protection Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.
- Increases your safety Wiha slimBits grant unhindered, fully insulated access to deep lying screws.







2831 09 023

Increases your safety: Wiha SlimBits ensure unlimited, protected access to deep-set screws. Protects your health: No risk of injury, all blades stowed safely inside the handle. Increases your efficiency: Wiha LiftUp electric, saves 75% volume and 50% less weight for 100 % efficiency. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

TORX [®] with 6 slimBits	2831 09 022
Order-No.	
41157	5
1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 Manufactured acc. to IEC 60900:2012.	

Pozidriv, PlusMinus/Pozidriv,	slotted	with 6	slimBits

Order-No	
41234	5
\ominus	1 x 2,5 / 1 x 3,5 / 1 x 5,5
	1 x PZ1 / 1 x PZ2
۲	1 x SL/PZ2
Manufactur	red acc. to IEC 60900:2012.



Simplifies your work: All tools securely arranged in a robust and clearly laid out bag. Increases your safety: Wiha SlimBits ensure unlimited, protected access to deep-set screws. Increases your efficiency: Extensive interchangeable blade system saves you space. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

assorted 18-pcs. in bag

Order-N	
41231	
0	1 x Screwdriver with bit holder SoftFinish® electric slimVario Stubby for
0	1 x Screwdriver with bit holder SoftFinish® electric slimVario for slimBits
\ominus	1 x 2,5 / 1 x 3,5 / 1 x 5,5
Ð	1 x PH1 / 1 x PH2
#	1 x PZ1 / 1 x PZ2
۲	1 x SL/PZ1 / 1 x SL/PZ2
۲	1 x T9 / 1 x T10 / 1 x T15 / 1 x T20
	1 x 3 / 1 x 4 / 1 x 5
Manufactu	rred acc. to IEC 60900:2012.



	2831 T18
	_
	1
or slimBits	
ts, Tool tested at 10,000 V AC	



Screwdriver and bit set slimVario[®] screwdriver

Screwdriver with bit holder SoftFinish® electric slimVario





Simplifies your work: All tools securely arranged in a robust and clearly laid out bag. Increases your safety: Wiha SlimBits ensure unlimited, protected access to deep-set screws. Increases your efficiency: Extensive interchangeable blade system saves you space. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

2831 T9 01

Slotted, Phillips, Pozidriv, 9-pcs. in bag

Order-No.	-
41232	1
0	1 x Screwdriver with bit holder SoftFinish® electric slimVario Stubby for slimBits
0	1 x Screwdriver with bit holder SoftFinish® electric slimVario for slimBits
\ominus	1 x 2,5 / 1 x 3,5 / 1 x 5,5
Ð	1 x PH1 / 1 x PH2
Manufactured	1 x PZ1 / 1 x PZ2 acc. to IEC 60900:2012.

Slotted, Pozidriv, PlusMinus/Pozidriv, 9-pcs. in bag

		2831 19 02
Order-No.	_	
41233	1	
0	1 x Screwdriver with bit holder SoftFinish® electric slim Stubby for slimBits	/ario
0	1 x Screwdriver with bit holder SoftFinish® electric slim\ slimBits	/ario for
Θ	1 x 2,5 / 1 x 3,5 / 1 x 5,5	
*	1 x PZ1 / 1 x PZ2	
Manufactured	1 x SL/PZ1 / 1 x SL/PZ2 acc. to IEC 60900:2012.	





Wiha SoftFinish® electric slimFix

• Unlimited access.

- Blades up to 33 % narrower due to integrated insulation.
- Tool for spring clips (wedge-profiled output geometry).



Increases your safety: Wiha slim blades ensure unlimited, protected access to deep-set screws. Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: The unique Wiha handle size concept with optimal balance between power and control. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Ofor slimBits

Screwdriver with bit holder SoftFinish® electric slimVario Stubby for slimBits



Simplifies your work: Compact handle - maximum power. Increases your safety: Wiha SlimBits ensure unlimited, protected access to deepset screws. Protected work in constricted spaces. Increases your efficiency: 100 % compatible with the Wiha slimBit system. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Stubby, 4-pcs.

Order-No	Э.
41230	
0	Screwdriver with bit holder SoftFinish® electric slimVario Stubby for slim
\ominus	1x 3,5
Ð	1x PH2
*	1x SL/PZ2





283100
5



	SB 2831 0101
	1
imBits	







Increases your safety: Wiha SlimBits ensure unlimited, protected access to deep-set screws. Increases your efficiency: Extensive interchangeable blade system saves you space. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

⊖Slotted

⊖Slotted						2831-10
Order-No.	\ominus	=	\ominus	©‡	max. Nm	-
34578	2,5•	75	0,4	6.0	0,4	5
34579	3,0•	75	0,5	6.0	0,6	5
41159	3,5	75	0,6	6.0	2,5	5
34580	4,0	75	0,8	6.0	2,5	5
34581	5,5	75	1,0	6.0	5,5	5
34582	6,5	75	1,2	6.0	5,5	5
 no slim versi 	on					

Manufactured acc. to IEC 60900:2012.

Philli	ips	
Philli	ips	

+ Phillips					2831-11		
Order-No.	Ð	=	١)	max. Nm	—		
34583	PH1	75	6,0	3.8	5		
34584	PH2	75	6,0	5.5	5		
Manufactured	Manufactured acc. to IEC 60900:2012						

🕀 Pozidriv

Ψ.					2831-1
Order-No.		=	۵	max. Nm	—
34585	PZ1	75	6,0	3.8	5
34586	PZ2	75	6,0	5.5	5
Manufactured a	icc. to IEC	C 60900	2012.		

Hex					
Order-No.	۲	=	©‡	max. Nm	-
37222	1,5•	75	6,0	0.9	5
37223	2•	75	6,0	1.8	5
37224	2,5	75	6,0	3.8	5
37147	3	75		5.5	5
37225	4	75	6,0	5.5	5
37226	5	75	6,0	5.5	5
37227	6	75	6,0	5.5	5

• no slim version Manufactured acc. to IEC 60900:2012.

PlusMinus/Pozidriv


PlusMin	us/Pozidriv				2831-14
Order-No.	۲	☴	©‡	max. Nm	-
34589	SL/PZ1	75	6,0	3.8	5
34590	SL/PZ2	75	6,0	5.5	5
Manufactured acc. to IEC 60900:2012.					

TORX®

C IONA					2831-15
Order-No.	۲	=	۵	max. Nm	-
35506	T8∙	75	6,0	1.3	5
41160	T9•	75	6,0	1.3	5
35507	T10•	75	6,0	3.8	5
35508	T15	75	6,0	5.0	5
35509	T20	75	6,0	5.5	5
36071	T25	75	6,0	5.5	5
no slim versio Manufactured	on				
Square					2831-17

						2001 11
Order-No.		۲	☴	©‡	max. Nm	—
35510	#1	2,3	75	6.0	5,5	5
35511	#2	2,8	75	6.0	5,5	5
Manufactured acc. to IEC 60900:2012.						





insulated access to low-lying screws. Increases your efficiency: 2831-12 Extensive interchangeable blade system saves you space. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Slotted	I, Phillips, 6-pcs. in box	2831 B601
Order-N	lo.	
36088		1
\ominus	1 x 2,5 / 1 x 3,5 / 1 x 4,0 / 1 x 5,5	
Ð	1 x PH1 / 1 x PH2 ured acc. to IEC 60900:2012.	
Slotted	I, Pozidriv, 6-pcs. in box	2831 B602
Order-N	ю.	-

36089		1
\ominus	1 x 2,5 / 1 x 3,5 / 1 x 4	
*	1 x PZ1 / 1 x PZ2	
	red acc. to IEC 60900:2012.	

Order-N		
36090		1
\ominus	1 x 2,5 / 1 x 3,5 / 1 x 4,0 / 1 x 5,5	
۲	1 x SL/PZ1 / 1 x SL/PZ2 ured acc. to IEC 60900:2012.	
	-pcs. in box	2831

Hex, 7-pcs. in box

2831-18



INFOBOX: Interchangeable bit system	
easyTorque adapter	
Stubby electric wiha	
slimVario®	
VDE interchangeable bit system	



slim Torque



Compact VDE bit sets: holder + slimBit (length 75 mm)

- 35 % lighter than comparable sets
- Maximum service life: metal locking mechanism
- Precise work additional guidance withfreerunning sleeve
- Controlled tightening of electrical screw connections with slimBits

VDE torque system

• Controlled tightening of electrical screw connections with slimBits







Can be used with these slimBits




() 2,5/3,0/4,0/5,5/6,5 PH1/PH2 PZ1/PZ2 SL/PZ1/SL/PZ2 T8/T10/T15/T20/T25





Easier and protected access to deep-set screws.



Wiha slimTECHNOLOGY enables blades to be up to 33 % slimmer due to the integrated insulation in the blade. Low-lying screw and spring elements in the critical working area can therefore be reached easily. The high-quality blade insulation guarantees safe work in on live parts up to 1,000 V AC/1,500 V DC. Additional safety is assured as each individual screwdriver is tested in a water bath at 10,000 V AC in accordance with IEC 60900. Roll-off protection, the patented, SoftFinish® handle design that protects the hands and muscles from strain, and the unique handle-length concept for optimal balance between power and control all ensure healthier and more efficient work.

The system for every electrician. Available as a screwdriver or as an interchangeable bit system



44 **wiha**

• Increases your efficiency

The unique Wiha handle size concept with optimal balance between power and control.

• Protects your health

With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs.

• Offers you full protection

Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Increases your safety

Wiha slim blades grant unhindered, fully insulated access to low lying screws.




• Nilw



Increases your safety: Wiha slim blades ensure unlimited, protected access to deep-set screws. **Protects your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** The unique Wiha handle size concept with optimal balance between power and control. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

assorte	ad 12-pcs. 3201 K12
Order-N	
41003	1
Θ	3,5 x 100 / 4,0 x 100 / 5,5 x 125 / 6,5 x 150
Ð	PH1 x 80 / PH2 x 100
*	PZ1 x 80 / PZ2 x 100
	SL/PZ2 x 100
۲	T15 x 100 / T20 x 100 / T25 x 125



Increases your safety: Wiha slim blades ensure unlimited, protected access to deep-set screws. **Protects your health:** With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. **Increases your efficiency:** The unique Wiha handle size concept with optimal balance between power and control. **Offers you full protection:** Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Slotted, Phillips 6-pcs.

SoftFinish[®] electric slimFix

Order-No.	
35389	
\ominus	3,5 x 100 / 4,0 x 100 / 5,5 x 125 / 6,5 x 150
Ð	PH1 x 80 / PH2 x 100
Manufactured	acc. to IEC 60900:2012.

Slotted, Pozidriv 6-pcs.

Order-No.	
36455	
Θ	3,5 x 100 / 4,0 x 100 / 5,5 x 125 / 6,5 x 150
*	PZ1 x 80 / PZ2 x 100
Manufactured	acc. to IEC 60900:2012.

Slotted, Phillips, PlusMinus/Pozidriv 6-pcs.

Order-N	
38362	
θ	3,5 x 100 / 4,0 x 100 / 5,5 x 125
Ð	PH1 x 80 / PH2 x 100
Manufact	SL/PZ2 x 100 ured acc. to IEC 60900:2012.
TORX®	6-pcs.
Order-N	lo.
36558	
۲	T8 x 60 / T9 x 60
۲	T10 x 100 / T15 x 100 / T20 x 100 / T25 x 125

no slim version
Manufactured acc. to IEC 60900:2012.







3201	K6
—	
1	
	•••••
3201 Z	K6
1	
3201 K6	601
	
1	
3251 /	K 6
1	



Screwdriver set SoftFinish® electric



Increases your safety: Wiha slim blades ensure unlimited, protected access to deep-set screws. Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: The unique Wiha handle size concept with optimal balance between power and control. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

3201

3241

3281

3251 TR K6

\ominus Slotted

						020
Order-No.	\ominus		\ominus ;	—	+	-
35446	3,5	100	0,6	204	23	10
35390	4,0	100	0,8	211	30	10
35501	4,5	125	1,0	236	30	10
35391	5,5	125	1,0	243	36	10
35392	6,5	150	1,2	268	36	10
DIN ISO 2380. N		tured acc		60900:20	12.	

Ð	P	hi	IIi	ip	s
---	---	----	-----	----	---

						3211				
Order-No.	\oplus	⊸■	=	-+	SB	-				
35393	PH1	80	191	30		10				
35394	PH2	100	218	36		10				
DIN ISO 8764-PH. Manufactured acc. to IEC 60900:2012.										

🕀 Pozidriv

Order-No.		⊸■			1	-
35395	PZ1	80	191	30		10
35396	PZ2	100	218	36		10
DIN ISO 8764-	PZ. Manı	factured	acc. to I	EC 60900:2012	•	

۲	P	lus	Μ	in	us	/P	ozi	driv	
---	---	-----	---	----	----	----	-----	------	--

Order-No.	۲	╤╸	=		(SB)	-	
36329	SL/PZ1	80	191	30		10	
36330	SL/PZ2	100	218	36		10	
Manufactured a	cc. to IEC 60900	0:2012.					

TORX[®] Tamper Resistant (with hole) 6-pcs.

41245		1
	T10H x 100 / T15H x 100 / T20H x 1	00 / T25H x 125 /

۲ T30H x 125 / T40H x 150

Manufactured acc. to IEC 60900:2012.

TORX[®] Tamper Resistant (with hole) 3251 TR * <u>_</u> <u>_</u> <u>_</u> Order-No. 41141 T10H 100 204 23 10 41142 T15H 100 211 30 10 41143 T20H 100 211 30 10 10 41144 T25H 125 243 36 41145 T27H 125 243 36 10 41146 T30H 125 243 36 10 41147 T40H 150 268 36 10 Manufactured acc. to IEC 60900:2012.

Order-No.	۲	☴■			-
36536	T10	100	204	23	10
36537	T15	100	211	30	10
36538	T20	100	211	30	10
36539	T25	125	243	36	10
36540	T27	125	243	36	10
36541	T30	125	243	36	10
36542			268		10

Square	

Square						3581
Order-No.	۲	۲	☴■	=		-
35504	#1	2,3	100	211	30	10
35505	#2	2,8	125	243	36	10
Manufactured a	cc. to IE	C 60900	:2012.			

Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: The unique Wiha handle size concept with optimal balance between power and control. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Slotted, Phillips 7-pcs.

Order-No.	
00834	
\ominus	2,5 x 75 / 4,0 x 100 / 5,5 x 125 / 6,5 x 150
Ð	PH1 x 80 / PH2 x 100
\ominus	Voltage tester SoftFinish® single-pole, 110-250 volts acc. to IEC 60900:2012.

Slotted, Phillips 6-pcs.

Order-No	0.
00833	
\ominus	3,0 x 100 / 4,0 x 100 / 5,5 x 125 / 6,5 x 150
Ð	PH1 x 80 / PH2 x 100
Manufactu	red acc. to IEC 60900:2012.

Slotted, Pozidriv 6-pcs.

Order-N	ю.
25477	
\ominus	2,5 x 75 / 3,5 x 100 / 4,5 x 125 / 5,5 x 125
*	PZ1 x 80 / PZ2 x 100
Manufact	ured acc. to IEC 60900:2012.





	320N K7
	-
-	
	320N K6
	0
	320N ZK6 SO
4	_
1	







Screwdriver set SoftFinish® electric



Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: The unique Wiha handle size concept with optimal balance between power and control. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Order-No.	\ominus	☴■	\ominus ;	==		
00819	2,0	60	0,4	164	23	10
00820	2,5	75	0,4	179	23	10
00821	3,0	100	0,5	204	23	10
00822	3,5	100	0,6	204	23	10
00823	4,0	100	0,8	211	30	10
00824	4,5•	125	1,0	236	30	10
00825	4,5•	175	1,0	286	30	5
31863	4,5	200	1,0	311	30	5
00826	5,5	125	1,0	243	36	10
00827	5,5•	175	1,0	293	36	5
00828	6,0•	150	1,2	268	36	10
00829	6,5	150	1,2	268	36	10
00830	8,0	175	1,2	299	41	10
00831	8,0	175	1,6	299	41	10
00832	10,0•	200	1,6	324	41	5

Phillips

Order-No.	\oplus	☴■	==	<u> </u>	—
00846	PH0	60	164	23	10
00847	PH1	80	191	30	10
00848	PH2	100	218	36	10
00849	PH3	150	268	41	10
00850	PH4	200	318	41	5
Manufactured	acc. to IE	C 60900	:2012.		

Residuant Pozidriv

Order-No.	*			 ÷	_
00877	PZ0		164	23	10
00878	PZ1	80	191	30	10
00879	PZ2	100	218	36	10
00880	PZ3	150	324	41	5
Manufactured	acc. to IE	C 60900	:2012.		

PlusMinus/Pozidriv 328								
۲	╤■		—					
SL/PZ1	80	191	30	10				
SL/PZ2	100	218	36	10				
	 SL/PZ1 SL/PZ2 	 € → SL/PZ1 80 SL/PZ2 100 	Image: SL/PZ1 80 191 SL/PZ2 100 218	Image: SL/PZ1 Image: State of the state of				

TORX®					325
Order-No.	۲	⊷			—
03760	T5	60	164	23	10
03761	T6	60	164	23	10
03762	Τ7	60	164	23	10
00881	T8	60	164	23	10
00882	Т9	60	164	23	10

Hex					323N
Order-No.	۲		==	-+	-
30361	2,5	75	179	23	10
30362	3,0	75	179	23	10
30363	4,0	75	186	30	10
30364	5,0	75	186	30	10
30365	6,0	100	218	36	10
30366	8,0	100	218	36	10
Manufactured	acc. to IE	C 60900	2012.		

Square

321N

324

Order-No.	۲	۲	→	=		-
32396	#1	2,3	100	211	30	10
32397	#2	2,8	150	268	36	10
Manufactured a	acc. to IE	C 60900	:2012.			

358N



Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: The unique Wiha handle size concept with optimal balance between power and control. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Hexagon nut driver 5-pcs.

Order-No.			-
29466			1
0	5,5 x 125 / 7 x 125 / 8	x 125 / 10 x 125 /	13 x 125
Manufactured	acc. to IEC 60900-2012		

INFOBOX: Combination profiles



PlusMinus. • The special PlusMinus/Pozidriv profile is ideal for

- PlusMinus terminal screws.
- The combination profile reduces slipping out and guarantees a higher torque transmission.



Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: The unique Wiha handle size concept with optimal balance between power and control. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

OHex nut driver

322 K5

drive	r					322
0	☴■	=	-+	Ļ	-	
4	125	236	30	10,2	10	
5	125	236	30	11,2	10	
5,5	125	236	30	11,2	10	
6	125	236	30	12,2	10	
7	125	243	36	14,5	10	
8	125	243	36	15,2	10	
9	125	243	36	16,0	10	
10	125	243	36	17,2	10	
11	125	243	41	19,2	10	
12	125	243	41	20,2	10	
13	125	243	41	22,2	10	
14	125	243	41	23,2	10	
15	125	243	41	25,2	10	
16	125	243	41	25,2	10	
17	125	243	41	27,2	10	
	O 4 5 5,5 6 7 8 9 10 11 12 13 14 15 16	$\begin{array}{cccc} & & & \\ & & 125 \\ & 5 & 125 \\ & 5,5 & 125 \\ & 6 & 125 \\ & 7 & 125 \\ & 8 & 125 \\ & 9 & 125 \\ & 10 & 125 \\ & 11 & 125 \\ & 12 & 125 \\ & 13 & 125 \\ & 14 & 125 \\ & 15 & 125 \\ & 16 & 125 \\ \end{array}$	• •	0 4 125 236 30 5 125 236 30 5,5 125 236 30 6 125 236 30 7 125 236 30 7 125 243 36 8 125 243 36 9 125 243 36 10 125 243 41 12 125 243 41 13 125 243 41 14 125 243 41 15 125 243 41 16 125 243 41	● → → ↓ 4 125 236 30 10,2 5 125 236 30 11,2 5,5 125 236 30 11,2 6 125 236 30 12,2 7 125 243 36 14,5 8 125 243 36 15,2 9 125 243 36 16,0 10 125 243 36 17,2 11 125 243 36 17,2 11 125 243 41 19,2 12 125 243 41 20,2 13 125 243 41 23,2 14 125 243 41 23,2 15 125 243 41 25,2 16 125 243 41 25,2	\circ \leftarrow \leftarrow \leftarrow 41252363010,21051252363011,2105,51252363011,21061252363012,21071252433614,51081252433615,21091252433616,010101252433617,210111252434120,210131252434122,210141252434123,210151252434125,210161252434125,210

Manufactured acc. to IEC 60900:2012.





Fine screwdriver PicoFinish electric





Simplifies your work: Sensitive working due to slim handle and rotating cap. Increases your efficiency: Screwdriver handle size

concept for an optimal balance between precision and control. Offers

you full protection: Each tool individually tested at 10,000 V AC and

▲ 1000 V IEC 60900



Simplifies your work: More power when fastening thanks to the leverage from the T-handle design Increases your efficiency: Handle size concept for an optimum balance between torque and control Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Hex					334N	OHex					336N		
Order-No.	۲	, →	Ħ	—)(→ .	-	Order-No.	0	, →	Ħ)‡	→ .	-
27928	4	150	176	80	26	10	27932	8	200	232	100	32	10
27929	5	150	182	100	32	10	27933	10	230	262	100	32	10
27930	6	150	182	100	32	10	27934	13	230	262	100	32	10
27931	8	150	182	100	32	10	27935	17	230	268	120	38	10
Manufactured a	icc. to If	EC 60900	:2012.				Manufactured a	acc. to IE	EC 60900	:2012.			

Simplifies your work: Sensitive working due to slim handle and rotating cap. Increases your efficiency: Screwdriver handle size concept for an optimal balance between precision and control. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Slotted, Phillips 6-pcs. 2270P K6						
Order-No	0.					
38996		1				
\ominus	1,5 x 40 / 2,0 x 40 / 2,5 x 60 / 3,0 x 60					
Ð	PH00 x 40 / PH0 x 60					
DIN ISO 87	764. Manufactured acc. to IEC 60900:2012.					

2270P Order-No. \ominus ⊖ţ 10 38874 1,5 40 0,25 2.0 148 18 38875 40 0,4 2.0 148 18 10 2.0 38876 2.5 60 0,4 2.5 163 18 10 38877 3,0 60 0,5 3.0 163 18 10 3,5 60 0,6 3.5 163 18 10 38878 Manufactured acc. to IEC 60900:2012.

Phillips

approved for 1,000 V AC.

Phillips						2271P	
Order-No.	Ð	╤╸	•t	=		-	
38879	PH00	40	2,0	148	18	10	
38880	PH0	60	3,0	163	18	10	
38881	PH1	60	4,0	163	18	10	
Manufactured acc. to IEC 60900:2012.							

INFOBOX: **PicoFinish electric**



Wiha PicoFinish electric: The VDE-GS tested precision screwdriver.

- The smooth-running turn-cap enables fast turning.
- Imprint with the screw symbol and sizes eases recognition.

52 **wiha**

Nut driver with T-handle electric



Simplifies your work: More power when fastening thanks to the leverage from the T-handle design Increases your efficiency: Handle size concept for an optimum balance between torque and control Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.



Ratchet box spanner insulated



13 -10- 4 1000 1

Increases your safety: Double-layered insulation provides immediate feedback on the safety condition of the tool. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Order-No.	0	
36666	8	1
36667	10	1
36668	12	1
36669	13	1
36670	14	1
36671	17	1
36672	19	1

Increases your safety: Double-layered insulation provides immediate feedback on the safety condition of the tool. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

0		5590N
Order-No.	0	-
36543	6	1
36544	7	1
36586	8	1
36639	9	1
36640	10	1
36641	11	1
36642	12	1
36643	13	1
36644	14	1
36645	15	1
36646	16	1
36647	17	1
36648	19	1
36649	22	1
36650	24	1

DIN 7446. Manufactured according to EN/IEC 60900:2012.

Insulated extension



Increases your safety: Double-layered insulation provides immediate feedback on the safety condition of the tool. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Hexagon I	Hexagon head 1/2" compatible with set 33184 7208N							
Order-No.			-					
36684	125	1/2"	1					
Manufactured	according	g to EN/IEC	60900:2012.					





Increases your safety: Double-layered insulation provides immediate feedback on the safety condition of the tool. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Hexagon head 1/2" compatible with set 33184

Hexagon head 1/2" compatible with set 33184 7208							
Order-No.	0						
36685	10	1					
36686	12	1					
36687	13	1					
36688	14	1					
36689	17	1					
36690	19	1					
36691	22	1					
36692	24	1					
Manufactured a	according to EN/IEC 60900:2012.						

Insulated reversible ratchet



Increases your safety: Double-layered insulation provides immediate feedback on the safety condition of the tool. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Hexagon head 1/2" compatible with set 33184	7208N	N Hexagon head 3/8" compatible with set 33183				
Order-No.	-	Order-No.	0	_		
36683 1/2" 260	1	36675	8	1		
Manufactured according to EN/IEC 60900:2012.		36676	10	1		
		36677	11	1		
		36678	12	1		
Insulated reversible ratchet		36679	13	1		
		36680	14	1		
		36681	17	1		
-		36682	19	1		
		Manufactured	according to EN/IEC 60900:2012.			

36674

125 3/8"

Manufactured according to EN/IEC 60900:2012.



Increases your safety: Double-layered insulation provides immediate feedback on the safety condition of the tool. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Hexagon h	nead 3/8" c	ompatible with set 33183	7207N		T	
Order-No.			-			
36673 Manufactured a	3/8" 190 according to EN) /IÉC 60900:2012.	1			
Insulated	extension			feedback o	n the safety condition Each tool individually	ayered insulation provides immediate of the tool. Offers you full <i>t</i> tested at 10,000 V AC and approved
			0	internal	hexagon	352N
				Order-No.	۲	—
		Ę	€ GS 21000 V IEC 60900	36659	3	1
				36660	4	1
		y: Double-layered insulation p condition of the tool. Offers		36661	5	1
	,	individually tested at 10,000	•	36662	6	1
for 1,000 V	AC.			36663	8	1
				36664	10	1
Hexagon h	nead 3/8" c	ompatible with set 33183	7207N	36665	12	1
Order-No.			-	Manufactured a	according to EN/IEC 60900:20	012.

1

Nut driver insert insulated





Increases your safety: Double-layered insulation provides immediate feedback on the safety condition of the tool. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

L-key insulated





Screwdriver SoftFinish®



Increases your efficiency: All keys and profiles integrated into one compact, lightweight tool.

\ominus 1/4" in l								SB 246 81
Order-No.	0	0	¢	\ominus	\oplus	۲		
39076	5-8	9	3-5	7,0	PH2	T20 / T25	1	

Switch cabinet key cross shape



Increases your efficiency: All keys and profiles integrated into one compact, lightweight tool.

\ominus						246 67
Order-No.	0	0	Ŷ	\ominus	Ð	—
36114	5-8	9	3-5	7,0	PH2	1







- The solid steel cap at the end of the screwdriver handle enables targeted hammering, e.g. to loosen jammed screws.
- The direct connection of the solid steel cap to the blade means that the impact energy is transmitted without any loss.
- Blade includes a hexagon bolster for using a set of spanners for additional torque.



Simplifies your work: Striking cap integrated into the handle allows you to strike and lift with the screwdriver. Facilitates handling: Easy loosening of tight screws thanks to hex bolster for spanners. Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: Screwdriver handle size concept for an optimal balance between precision and control.

530

531

532

10

$\bigoplus {\sf Slotted}$ with one-piece hexagonal blade and solid steel cap

Order-No.	\ominus		\ominus ;	•1	\bigcirc t		-
03223	3,5	75	0,6	4.0	-	186	10
03224	4,5•	90	0,8	4.0	-	201	10
03225	5,5	100	1,0	5.0	8	213	10
03226	6,5	125	1,2	6.0	10	238	10
03228	8,0	150	1,2	8.0	13	271	5
03230	10,0	175	1,6	8.0	13	296	5
03231	12,0	200	2,0	10.0	16	321	5
03232							5
03232 14,0• 250 2,5 10.0 16 371 5 • Additional dimension. Non-DIN size.							

+ Phillips with one-piece hexagonal blade and solid steel cap

	_	-					
Order-No.	Ð	↔	e t	\bigcirc		-+	-
03237	PH1	80	5,0	8	186	30	10
03238	PH2	100	6,0	10	213	36	10

PH3 150 8,0 13 268 41

Pozidriv with one-piece hexagonal blade and

solid steel cap

03239

Order-No.	*	☴■	e i	\bigcirc	=		-
03245	PZ1	80	5,0	8	186	30	10
03246	PZ2	100	6,0	10	213	36	10
03247	PZ3	150	8,0	13	268	41	10

Screwdriver SoftFinish®



Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: The unique Wiha handle size concept with optimal balance between power and control.

⊖Slotted with round blade for low-lying screws

							302									30
Order-No.	θ	≂ ■	⊖;	•1	=		-	Order-No.	θ	⇒ ■	⊖;	•‡	=		-	
00684	2,0•	65	0,4	2,0	169	23	10	27754	6,0	100	1,0	5,5	218	36	10	
00685	2,5	75	0,4	2,5	179	23	10	27755	6,0	150	1,0	5,5	268	36	10	
00686	3,0•	80	0,5	3,0	184	23	10	00704	6,5	100	1,2	6,0	218	36	10	
00687	3,0	100	0,5	3,0	204	23	10	00703	6,5	150	1,2	6,0	268	36	10	
00689	3,0•	150	0,5	3,0	254	23	10	00706	6,5•	200	1,2	6,0	318	36	10	
00690	3,0•	200	0,5	3,0	304	23	10	00708	8,0	150	1,2	7,0	274	41	10	
32383	3,0	300	0,5	3,0	404	23	5	00707	8,0	175	1,2	7,0	299	41	10	
00691	3,5	100	0,6	3,5	204	23	10	00709	8,0	175	1,6	7,0	299	41	5	
26931	3,5•	200	0,6	3,5	304	23	10	32399	8,0	300	1,2	7,0	424	41	5	
00692	4,0	100	0,8	4,0	211	30	10	00711	10,0	200	1,6	8,0	324	41	10	
00694	4,0•	150	0,8	4,0	261	30	10	32400	10,0	300	1,6	8,0	424	41	5	
00695	4,0•	200	0,8	4,0	311	30	10	00712	12,0	250	2,0	8,0	374	41	10	
00696	4,0•	300	0,8	4,0	411	30	10	00713	14,0•	250	2,5	11,0	374	41	10	
27753	4,5•	80	0,8	4,5	191	30	10	 Additional di 	mension.	Non-DIN	size.DIN	I ISO 238	0.			
00697	4,5•	125	0,8	4,5	236	30	10									
00698	5,5	125	1,0	5,5	236	30	10									
00700	5,5	150	1,0	5,5	261	30	10									
00701	5,5•	200	1,0	5,5	311	30	10									
00702	5,5•	300	1,0	5,5	411	30	5									
32384	6,0•	300	1,0	6,0	418	36	5									

56	wiha 👞
	Tools that work for you



Protects your health: With the patented SoftFinish® handle design, ensuring work is kind to hands and muscles. Recommended by doctors and therapists at German Campaign for Healthier Backs. Increases your efficiency: The unique Wiha handle size concept with optimal balance between power and control.

\ominus Slotted with round blade





Bit Professional 70 mm

processes.

33965

01798

33966

5,5 70 1,0

70

1,2

1,2

6,5 50

6,5





Simplifies your work: Ideal for all applications due to the nonmagnetic locking mechanism . Increases your efficiency: Extremely secure and tight zero-play hold of bits.

\cap	1	/4"	

O ^{1/4} "				7148C
Order-No.	0	۲		—
32477	1/4	1/4	60	10

Bit holder CentroFix Super Slim mechanically lockable



Saves time: Automatic bit locking mechanism upon insertion. Increases your efficiency: Unlimited access to deep-set screws thanks to extreme slimline design.

O ^{1/4"}				7148 CS
Order-No.	0	۲	=	
39134	1/4	1/4	66	1

Bit holder magnetic, clamping with retaining ring



Simplifies your work: Unrestricted access to low-lying screws thanks to bit holder lengths of up to 250mm. Increases your efficiency: Unlimited access to deep-set screws thanks to extreme slimline design.

○1/4"				7143
Order-No.	0	۲		
01913	1/4	1/4	72	2
36092	1/4	1/4	100	5
34306	1/4	1/4	150	5
36093	1/4	1/4	200	5
36094	1/4	1/4	250	5

Slotted	1/4"			7040 Z
Order-No.	\ominus	=	⊖;	-
33961	2,5	70	0,4	5
01790	3,0	50	0,5	5
33962	3,0	70	0,5	5
01792	3,5	50	0,6	5
33963	3,5	70	0,6	5
01791	4,0	50	0,5	5
01794	4,0	50	0,8	5
33964	4,0	70	0,8	5
01793	4,5	50	0,6	5
01795	5,5	50	0,8	5
01796	5,5	50	1,0	5

5

5

5

Meets your requirements: Robust and precise bits for general

tion of profile sizes thanks to contrasting laser marking. Increases

your efficiency: Best rotation characteristics for stable fastening

fastening in trade and industry. Saves time: Simple and quick recogni-

wither 10x45x400

01799	8,0	50	1,2		5	
01800	8,0	50	1,6	 	5	•
🕀 Pozidriv	/ 1/4"					7042 Z
Order-No.	*	=			-	
31957	PZ0	50			5	
31958	PZ0	70			5	
31959	PZ0	90			5	
33706	PZ1	50			5	
01808	PZ1	70			5	
01809	PZ1	90			5	
23221	PZ1	110			5	
23225	PZ1	127			5	
23227	PZ1	150			5	
33707	PZ2	50			5	
01811	PZ2	70			5	
01812	PZ2	90			5	
05799	PZ2	110			5	
06889	PZ2	127			5	
23228	PZ2	150			5	
33708	PZ3	50			5	
04059	PZ3	70			5	
04176	PZ3	90			5	
23223	PZ3	110			5	
23226	PZ3	127			5	
22512	PZ3	150			5	
•••••••						

Meets your requirements: Robust and precise bits for general fastening in trade and industry. Saves time: Simple and quick recognition of profile sizes thanks to contrasting laser marking. Increases your efficiency: Best rotation characteristics for stable fastening processes.

Phillips	1/4"		7041 Z	TORX®	ball en	d 1/4"	7045BE
Order-No.	Ð	=	—	Order-No.	۲	=	—
31960	PH00	50	5	32409	Т9	50	5
31961	PH00	70	5	32410	T10	50	5
31962	PH00	90	5	32416	T10	70	5
32105	PH0	50	5	32417	T15	50	5
35456	PH0	70	5	32418	T15	70	5
35457	PH0	90	5	32411	T20	50	5
33703	PH1	50	5	32419	T20	70	5
01803	PH1	70	5	32412	T25	50	5
04126	PH1	90	5	32421	T25	70	5
23213	PH1	110	5	32413	T27	50	5
23219	PH1	127	5	32414	T30	50	5
22509	PH1	150	5	32423	T30	70	5
33704	PH2	50	5	32415	T40	50	5
01805	PH2	70	5				
04009	PH2	90	5				
05800	PH2	110	5	TORX®	Magic	Spring [®] 1/4"	7045R
06888	PH2	127	5	Order-No.	۲		—
22510	PH2	150	5	34452	T10	50	5
33705	PH3	50	5	34453	T15	50	5
04010	PH3	70	5	34454	T20	50	5
04127	PH3	90	5	34455	T25	50	5
23215	PH3	110	5	34456	T30	50	5
23217	PH3	127	5	34457	T40	50	5
22511	PH3	150	5				

PlusMin	us/Phillips	1/4"	7049XH
Order-No.	\oplus	=	—
32490	SL/PH1	50	5
32491	SL/PH1	70	5
32686	SL/PH1	90	5
32492	SL/PH2	50	5
32493	SL/PH2	70	5
32687	SL/PH2	90	5



PlusMinus/Pozidriv 1	1/4"
----------------------	------

PlusMin	us/Pozidriv	/ 1/4"	7049XZ
Order-No.	۲	=	—
32494	SL/PZ1	50	5
32495	SL/PZ1	70	5
32688	SL/PZ1	90	5
32496	SL/PZ2	50	5
32497	SL/PZ2	70	5
32689	SL/PZ2	90	5



Bit Professional 70 mm



Order-No.	۲		70462
39195	11P	←→ 50	5
39196	2IP	50	5
32486	3IP	50	5
39197	4IP	50	5
39198	4IP	90	5
28481	5IP	50	5
39199	5IP	90	5
31973	6IP	90	5
26000	6IP	50	5
26002	7IP	50	5
23195	8IP	50	5
31975	8IP	90	2
23197	9IP	50	5
23199	10IP	50	5
31977	10IP	90	5
23201	15IP	50	5
25553	15IP	90	5
23203	20IP	50	5
39200	20IP	90	5
23205	25IP	50	5
39201	25IP	90	5
23207	27IP	50	5
39202	27IP	90	5
23209	30IP	50	5
39203	30IP	90	5
23211	40IP	50	5
39204	40IP	90	5

TORX®	Tamper	Resistant	(with	hole) 1/4"
--------------	--------	-----------	-------	------	--------

۲		
	\leftrightarrow	
T7H	50	5
T8H	50	5
T9H	50	5
T10H	50	5
T10H	90	5
T15H	50	5
T15H	90	5
T20H	50	5
T20H	90	5
T25H	50	5
T25H	90	5
T27H	50	5
T27H	90	5
T30H	50	5
T30H	90	5
T40H	50	5
T40H	90	5
	T8H T9H T10H T15H T25H T25H T27H T30H T30H T30H T30H T30H T30H T30H T30H T40H	T8H 50 T9H 50 T10H 50 T10H 90 T15H 50 T15H 90 T20H 50 T20H 90 T25H 50 T25H 90 T27H 50 T27H 90 T30H 50 T30H 50 T30H 50 T40H 50

Ordor No	A		7045
Order-No.	* 	=	
39184	T1	50	5
39185	T2	50	5
39186	T3	50	5
39187	T4	50	5
32299	T5	50	5
32302	T6	50	5
33709	T6	70	5
33717	T6	90	5
38370	T6	150	5
32303	T7	50	5
33710	T7	70	5
33718	T7	90	5
38371	T7	150	5
32304	T8	50	5
33711	T8	70	5
33719	T8	90	5
36327	T8	150	5
32305	T9	50	5
33712	T9	70	5
33720	T9	90	5
38372	T9	150	5
32306	T10	50	5
33713	T10	70	5
33721	T10	90	5
33725	T10	110	5
33726	T10	150	5
32307	T15	50	5
33714	T15	70	5
33722	T15	90	5
33727	T15	110	5
33728	T15	150	5
32308	T20	50	5
33715	T20	70	5
33723	T20	90	5
33729	T20	110	5
33730	T20	150	5
32309	T25	50	5
33716	T25	70	5
33724	T25	90	5
33731	T25	110	5
33732	T25	150	5
33920	T27	50	5
33921	T27	70	5
33922	T27	90	5
••••••		50	5
33923	T30		
33924	T30	70	5
33925	T30	90	5
33926	T30	110	5
33927	T30	150	5
33928	T40	50	5
33929	T40	70	5
33930	T40	90	5
33931	T40	110	5
33932	T40	150	5

Hexago				7047R Z	Screwdriver with bit magazine LiftUp 25 magnetic	
Order-No.	۲	₩				
25739	3,0	50		5		
25740	4,0	50		5		
25741	5,0	50		5	wiha 🔂 🔤	
25742	6,0	50		5		
MagicR	ing® he	ex 1/4	u	7043R Z	Simplifies your work: Larger handle – maximum power. Prot	
Order-No.	۲	=			your health: No risk of injury, all blades stowed safely inside t handle. Increases your efficiency: 80 % less volume, 80 % l	
23145	3,0	50		5	weight - 100% efficiency	
23147	4,0	50		5		
23149	5,0	50		5	assorted with 12 bits, 1/4"	3803 02-02
23151	6,0	50		5	Order-No.	
	- , -			-	38601 5	
Hexago	n 1/4"			7043 Z		
Order-No.	۲					
)5301		<i>∓</i> 50		5		
05302	1,5 2,0	50		5	 1xT15 / 1xT20 / 1xT25 / 1xT30 	
					 1 x 3,0 / 1 x 4,0 / 1 x 5,0 	
34554	2,0	70		5		
39178	2,0	90		5		
05303	2,5	50		5	Screwdriver with bit magazine magnetic	
34555	2,5	70		5		
39179	2,5	90		5		
04194	3,0	50		5	wiha 🗧 🚍	
34556	3,0	70		5		
39180	3,0	90		5		
04195	4,0	50		5	Saves space: Six tools in one. Increases your efficiency: U	nro
34557	4,0	70		5	stricted access to confined spaces thanks to extremely short	1116-
39181	4,0	90		5	screwdriver handle.	
04196	5,0	50		5	Olethed Division with Olether Obstation 4 (4)	
34558	5,0	70		5	Slotted, Phillips with 6 bits, Stubby, 1/4"	3801 0
39182	5,0	90		5	Order-No.	
04197	6,0	50		5	33736 10	
34559	6,0	70		5	→ 1 x 4,5 / 1 x 6,5 / 1 x 8,0	
39183	6,0	90		5	⊕ 1 x PH1 / 1 x PH2 / 1 x PH3	
04198	8,0	50		5		
34560	8,0	70		5	TORX [®] with 6 bits, Stubby, 1/4"	3801 0
					Order-No.	
Square	1/4"			7048 Z	33743 10	
Order-No.	۲	۲	=	-	1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 /	1 x T40
06637	#1	2,3	50	5	Slotted, Pozidriv with 6 bits, Stubby, 1/4"	
39206	#1	2,3	90	5	סוטונכע, דטבועווע שונוו ט שונא, סנעששע, ו/א	3801 0
)6638	#2	2,8	50	5	Order-No.	
39207	#2	2,8	90	5	33764 10	
00201						
06639	#3	3,3	50	5	⊖ 1 x 4,5 / 1 x 6,5 / 1 x 8,0	










Which machine? Which application? Which bit? The revolutionary Wiha bit concept puts an end to any confusion and presents three bit types which can cover all areas of use.

Only the screw shape is crucial for selecting the bit. The Y bit is ideal for fastening Y-shaped screws with an angle no greater than 90° between the thread and screw head. The T bit is used for T-shaped screws at a 90° angle. If you need to fasten both screw types, then the TY bit is the right choice since this universal bit is suitable for all type of fastenings.



62 **Wiha**

• Increases your efficiency

The specialist with 120x greater lifespan* thanks to optimised bits.

• Lowers your costs

Bit quick and easy to find thanks to marking – even in dark environments when a UV light is used.

• Saves time

No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan.

ompared to Wiha standard bits





BitBuddy[®] TY bit set, 49 mm





Lowers your costs: Bit quick and easy to find thanks to red marking – even in dark environments by using an UV light. Saves time: No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. Automatic opening at the push of a button and simple bit change directly in the holder. Increases your efficiency: The all-rounder with 120x greater lifespan* thanks to patented bit technology, suitable for all screws. (*compared to Wiha standard bit)

Pozidriv 1/4" 7-pcs.		SB 7946-TY202
Order-No.		—
42099		6
*	PZ1 x 49 / PZ2 x 49 / PZ3 x 49	

Hexagon	946-TY303	
Order-No.	. –	
42114	6	
۲	SW3 x 49 / SW4 x 49 / SW5 x 49 / SW6 x 49	

TORX® 1/4" 7-pcs. SB 7946-TY50		
Order-No.		-
42115		6
۲	T10 x 49 / T15 x 49 / T20 x 49 / T25 x T40 x 49	49 / T30 x 49 /

Phillips, Pozidriv, TORX [®] , 7-pcs., 1/4"		SB 7946-TY903
Order-No	Э.	
42116		6
\oplus	PH2 x 49	
*	PZ1 x 49 / PZ2 x 49 / PZ3 x 49	
۲	T15 x 49 / T20 x 49 / T25 x 49	

SB 7946-TY904

6

Pozidriv	, TORX®	7-pcs.	1/4"	in	box
----------	---------	--------	------	----	-----

	3B 7 940-1 1903
Order-No.	_
42118	6
*	PZ2 x 49 / PZ3 x 49
۲	T15 x 49 / T20 x 49 / T25 x 49 / T30 x 49 / T40 x 49

SB 70/6 TV005

BitBuddy[®] TY bit set, 29 mm



Lowers your costs: Bit quick and easy to find thanks to red marking – even in dark environments by using an UV light. **Saves time:** No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. Automatic opening at the push of a button and simple bit change directly in the holder. **Increases your efficiency:** The all-rounder with 120x greater lifespan* thanks to patented bit technology, suitable for all screws. (*compared to Wiha standard bit)

Pozidriv 1/4" 8-pcs.		SB 7945-TY202	
Order-No.			
42098		6	
	PZ1 x 29 / PZ2 x 29 / PZ3 x 29		
0	1x Bit holder magnetic 1/4"		

Hexagon 8-pcs. 1/4"		SB 7945-TY303
Order-No.		-
42135		6
۲	SW3 x 29 / SW4 x 29 / SW5 x 29 /	SW6 x 29
0	1x Bit holder magnetic 1/4"	

TORX [®] 1/4" 8-pcs.		SB 7945-TY505
Order-No).	-
42136		6
۲	T10 x 29 / T15 x 29 / T20 x 29 / T2 T40 x 29	25 x 29 / T30 x 29 /
0	1x Bit holder magnetic 1/4"	

Phillips, Pozidriv, TORX®, 8-pcs., 1/4"

Order-No.	
42137	6
Ð	PH2 x 29
*	PZ1 x 29 / PZ2 x 29 / PZ3 x 29
۲	T15 x 29 / T20 x 29 / T25 x 29 /
0	1x Bit holder magnetic 1/4"

Phillips, Pozidriv, TORX [⊗] , 8-pcs., 1/4"		SB 7945-TY904	
Order-No	0.		
42138		6	
\oplus	PH2 x 29		
*	PZ1 x 29 / PZ2 x 29 / PZ3 x 29		
۲	T15 x 29 / T20 x 29 / T25 x 29		
0	1x Bit holder magnetic 1/4"		

			Phillips, TORX [®] , hex 13-pcs. 1/4"		SB 7948-T950	
Phillips, Pozidriv, TORX [®] , 8-pcs., 1/4"		SB 7945-TY905	Order-No	D.	-	
Order-No	D.	—	41831		6	
42139		6	Ð	PH1 x 50 / PH2 x 50 / PH3 x 50		
*	PZ2 x 29 / PZ3 x 29		۲	T15 x 50 / T20 x 50 / T25 x 50 / T30 x	50 / T40 x 50	
۲	T15 x 29 / T20 x 29 / T25 x 29 / T30	x 29 / T40 x 29	۲	SW3 x 50 / SW4 x 50 / SW5 x 50 / SW	/6 x 50	
0	1x Bit holder magnetic 1/4"		0	1x Bit holder magnetic 1/4"		

SB 7945-TY903

PH2 x 49

Phillips, Pozidriv, TORX[®], 7-pcs., 1/4"

PZ1 x 49 / PZ2 x 49

T10 x 49 / T15 x 49 / T20 x 49 / T25 x 49

Order-No.

42117

 \oplus

۲

XLSelector T bit set, 50 mm





Lowers your costs: Bit quick and easy to find thanks to blue marking – even in dark environments by using an UV light. **Saves time:** No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. **Increases your efficiency:** The specialist with 120x greater lifespan* thanks to optimised bit for T-shaped screws. (*compared to Wiha standard bit)

 Phillips, TORX®, hex 31-pcs. 1/4"
 SB 7948-T999

 Order-No.
 ●

 41830
 6

 ●
 PH1 x 25 / PH2 x 25 / PH3 x 25

 ●
 T10 x 25 / T15 x 25 / T20 x 25 / T25 x 25 / T30 x 25 / T40 x 25

 ●
 SW3 x 25 / SW4 x 25 / SW5 x 25 / SW6 x 25

 ●
 1x Bit holder magnetic 1/4"



XLSelector Y bit set, 50 mm

FlipSelector T bit set, 25 mm

TY-Bit wiha ************



Lowers your costs: Bit quick and easy to find thanks to yellow marking - even in dark environments by using an UV light. Saves time: No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. Increases your efficiency: The specialist with 120x greater lifespan* thanks to optimised bit for Y-shaped screws. (*compared to Wiha standard bit)





Lowers your costs: Bit quick and easy to find thanks to blue marking - even in dark environments by using an UV light. Saves time: No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. Simple and rapid bit removal thanks to clear organisation and automatic opening at the push of a button. Increases your efficiency: The specialist with 120x greater lifespan* thanks to optimised bit for T-shaped screws. (*compared to Wiha standard bit)

TORX [®] 31-pcs. 1/4"		SB 7948-Y505
Order-No	Э.	-
41833		6
۲	T10 x 25 / T15 x 25 / T20 x 25 / T2 T40 x 25	
0	1x Bit holder magnetic 1/4"	

Hexagon 16-pcs. 1/4"		SB 7947-T303
Order-No).	—
41825		6
	SW3 x 25 / SW4 x 25 / SW5	5 X 20 / 0110 X 20
0	1x Bit holder magnetic 1/4"	

Phillips, Pozidriv, TORX [®] , 31-pcs., 1/4" SB 7948-		SB 7948-Y904
Order-No	D.	
41832		6
\oplus	PH1 x 25 / PH2 x 25 / PH3 x 25	
*	PZ1 x 25 / PZ2 x 25 / PZ3 x 25	
۲	T10 x 25 / T15 x 25 / T20 x 25 / T25 x 25 /	T30 x 25 / T40 x 25
0	1x Bit holder magnetic 1/4"	

Phillips, Pozidriv, TORX [®] , 13-pcs., 1/4"		SB 7947-T906	
Order-N	lo.		
41824		6	
Ð	PH1 x 25 / PH2 x 25 / PH3 x 25		
*	PZ2 x 25		
۲	T10 x 25 / T15 x 25 / T20 x 25 / T25 x 25 / T30	x 25 / T40 x 25	
0	1x Bit holder magnetic 1/4"		

Phillips, Pozidriv, TORX [®] , 13-pc., 1/4"		SB 7948-Y950
Order-No	D.	-
41834		6
Ð	PH2 x 50	
*	PZ1 x 50 / PZ2 x 50 / PZ3 x 50	
۲	T10 x 50 / T15 x 50 / T20 x 50 / T25 x 50) / T30 x 50 / T40 x 50
0	1x Bit holder magnetic 1/4"	

assorte	d 1/4" 13-pcs. SB 7947-T99
Order-No	
41826	6
Ð	PH1 x 25 / PH2 x 25 / PH3 x 25
*	PZ2 x 25
۲	T15 x 25 / T20 x 25 / T25 x 25 / T30 x 25 / T40 x 25
	SW4 x 25 / SW5 x 25 / SW6 x 25
0	1x Bit holder magnetic 1/4"

FlipSelector Y bit set, 25 mm





Lowers your costs: Bit quick and easy to find thanks to yellow marking - even in dark environments by using an UV light. Saves time: No long searches thanks to fluorescent bit, infrequent bit replacement thanks to long lifespan. Simple and rapid bit removal thanks to clear organisation and automatic opening at the push of a button. Increases your efficiency: The specialist with 120x greater lifespan* thanks to optimised bit for Y-shaped screws. (*compared to Wiha standard bit)

Y-shaped screws. (*compared to Wiha standard bit)				7948-005	
			Order-No	0. 🚄	, ,
Pozidriv 1/4" 13-pcs.			29417	5	
		SB 7947-Y202	\ominus	1 x 4,5 / 1 x 5,5 / 1 x 6,5	
Order-N	lo.	—	Ð	2 x PH1 / 4 x PH2 / 1 x PH3	
41829		6	*	2 x PZ1 / 5 x PZ2 / 1 x PZ3	
۲	PZ1 x 25 / PZ2 x 25 / PZ3 x 25		۲	2 x T10 / 2 x T15 / 2 x T20 / 3 x T25 / 2 x T30 /	1 x T40
0	1x Bit holder magnetic 1/4"		0	1 x Bit holder magnetic, 58 mm 1/4"	••••••

TORX [®] 1	I/4" 13-pcs. SB 7947-Y505	
Order-No). —	
41828	6	
	T10 x 25 / T15 x 25 / T20 x 25 / T25 x 25 / T30 x 25 / T40 x 25	
0	1x Bit holder magnetic 1/4"	

Phillips, Pozidriv, TORX [®] , 13-pcs., 1/4" SB 7	
41827	6
Ð	PH2 x 25
*	PZ1 x 25 / PZ2 x 25 / PZ3 x 25
۲	T10 x 25 / T15 x 25 / T20 x 25 / T25 x 25 / T30 x 25 / T40 x 25
0	1x Bit holder magnetic 1/4"

Bit set XLSelector Standard 25 mm



Meets your requirements: Robust and precise bits for general fastening in trade and industry. Saves time: Simple and quick recognition of profile sizes thanks to contrasting laser marking. Increases your efficiency: All standard 25 mm bits organised in a compact, space-saving design.

assorted 1/4" 31-pcs.

assorted 1/4" 31-pcs.

assorted 1/4" 31-pcs. 7948-927		
Order-No.	-	-
29416	5	
Ð	1x0/1x1/1x2/1x3/1x4	
$oldsymbol{\Theta}$	1 x 4 / 1 x 6 / 1 x 8 / 1 x 10	
٢	1 x TR 2,0 / 1 x TR2,5 / 1 x TR3,0 / 1 x TR4,0 1 x TR 6,0	/ 1 x TR5,0 /
•	1 x 6 / 1 x 8 / 1 x 10	
۲	1 x T8H / 1 x T9H / 1 x T10H / 1 x T15H / 1 x 1 x T25H / 1 x T27H / 1 x T30H / 1 x T40H	T20H /
	1 x #1 / 1 x #2 / 1 x #3	
0	1 x Bit holder CentroFix Force mechanically lockabl	e 1/4"

7040.005



Bit set FlipSelector Standard 25 mm



Meets your requirements: Robust and precise bits for general fastening in trade and industry. Simplifies your work: Simple and rapid bit removal thanks to clear organisation and automatic opening at the push of a button. 39 Saves time: Simple and quick recognition of profile sizes thanks to contrasting laser marking.

assorted 1/4" 13-pcs.		7947-999
Order-No).	-
39078		10
\ominus	1 x 5,5	
Ð	1 x PH2	
*	1 x PZ1 / 1 x PZ2 / 1 x PZ3	
۲	1 x T15 / 1 x T20 / 1 x T25 / 1 x T30	
۲	1 x 3,0 / 1 x 4,0 / 1 x 5,0	
0	1 x Bit holder magnetic, 58 mm 1/4"	

Slotted, Phillips, Pozidriv 1/4" 13-pcs.

Slotted, Phillips, Pozidriv 1/4" 13-pcs.		
Order-No).	
39029		10
\ominus	1 x 5,5	
\oplus	1 x PH1 / 3 x PH2 / 1 x PH3	
*	1 x PZ1 / 4 x PZ2 / 1 x PZ3	
0	1 x Bit holder magnetic, 58 mm 1/4"	

10	39045	
	۲	2 x SIT 10 / 4 x SIT 20 / 3 x SIT 25 / 2 x
	0	1 x Bit holder magnetic, 58 mm 1/4"

7947-904

Pozidriv, TORX[®] 1/4" 13-pcs.

Order-No	. 👝
39040	10
\oplus	2 x PH2
*	1 x PZ1 / 2 x PZ2 / 1 x PZ3
۲	1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40
0	1 x Bit holder magnetic, 58 mm 1/4"

Pozidriv,	TORX®	1/4"	13-pcs.	
1 0210119,	TOTA	1/4	10-pc3.	

Order-No.	
39041	10
*	1 x PZ1 / 2 x PZ2 / 1 x PZ3
۲	1 x T10 / 1 x T15 / 2 x T20 / 2 x T25 / 1 x T30 / 1 x T40
0	1 x Bit holder magnetic, 58 mm 1/4"

TORX® 1/4" 13-pcs.

TORX [®] 1	7947-505		
Order-No).		
39124		10	
۲	1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 2 x 2 x T25 / 1 x T30 / 1 x T40		
0	1 x Bit holder magnetic, 58 mm 1/4"		

TORX® Tamper Resistant (with hole) 1/4" 13-pcs. 7947-505TR

Order-No). –
39037	10
۲	1 x T7H / 1 x T8H / 1 x T9H / 1 x T10H / 2 x T15H / 2 x T20H / 2 x T25H / 1 x T30H / 1 x T40H
0	1 x Bit holder magnetic, 58 mm 1/4"


Hexagon 1/4" 11-pcs.			
Order-No).		
39039		10	
۲	1 x 1,5 / 1 x 2,0 / 1 x 2,5 / 2 x 3,0 / 1 x 6,0 / 1 x 8,0	/ 2 x 4,0 / 1 x 5,0 /	
0	O 1 x Bit holder magnetic, 58 mm 1/4"		

SIT (for A	SIT (for Assy [®] and Pias screws), 13-pcs., 1/4" 7947-998		
Order-No.			
39045	10		
۲	2 x SIT 10 / 4 x SIT 20 / 3 x SIT 25 / 2 x SIT 30 / 1 x SIT 40		
0	1 x Bit holder magnetic, 58 mm 1/4"		

High-performance offset screwdriver with quick release holder 1/4"

Simplifies your work: Secure screw guidance thanks to a magnet integrated into the bit holder. Increases your safety: Variably settable ⁷⁹⁴⁷⁻⁹⁰⁵ stabiliser arm. **Increases your efficiency:** Unlimited access to hardto-reach screws thanks to the 105°-angled tool head.

O 1/4" in blister pack					SB24628
Order-No.	0	۲		max. Nm	-
32310	1/4	1/4	165	57	1






68 **wiha**





Perfect order and easy handling - the ErgoStar L-key holder provides both: Rotating a single L-key in the holder means that all other keys rotate at the same angle! Keys sitting next to each other no longer need to be disentangled. Instead, all keys are ready for removal with one turn - as fast and easy as never before. The keys of the ErgoStar also help to make work significantly easier: The Wiha L-key set of the 369R series, made of fully hardened chrome vanadium steel, includes an innovation that will convince everyone. A spring steel ring holds hexagon screws reliably.



• Simplifies your work

The ball end facilitates access to screws and allows you to work at an angle of up to 25°.

- Increases your efficiency
 Wiha MagicRing[®] retaining function holds all screws firmly in place – without any magnets.
- Facilitates handling Always the correct key when you need it.

• Saves time

Ensures order: removing and targeted insertion in the holder is child's play.





L-key set in ErgoStar holder

L-key set in Compact holder



Simplifies your work: The ball end facilitates access to screws and allows you to work at an angle of up to 25°. Lowers your costs: Highly durable thanks to high-quality, chrome-plated L-key surface to prevent corrosion. Saves space: All standard keys organised in a compact, space-saving design.

Hexagonal ball end matt chrome-plated 9-pcs.	369 H9	TORX [®] ball end black finish 13-pcs.	366BE HZ13		
Order-No.	-	Order-No.	—		
01418	5	36487	5		
• 1,5 / 2 / 2,5 / 3 / 4 / 5 / 6 / 8 / 10		T5 / T6 / T7 / T8			
Based on ISO 2936L.		T9 / T10 / T15 / T20 / T25 /	T27 / T30 / T40 / T45		
		TORX [®] ball end from size T9			

Screw extractor set



Increases your efficiency: Thread-conserving removal of the screw without damage.

Hexago	Hexagon with spiral drill bit 8-pcs. 405 11						
Order-No		-					
03988		10					
	2.0 / 2.5 / 3.0 / 4 / 5 / 6 / 8 / 10						



- TORX[®] and TORX PLUS[®] screws are held securely in place.
- An innovation, which will benefit each user.





369R H9

Simplifies your work: The ball end facilitates access to screws and allows you to work at an angle of up to 25°. Lowers your costs: Highly durable thanks to high-quality, chrome-plated L-key surface to prevent corrosion. Facilitates handling: Always the correct key when you need it. Saves time: Ensures order: removing and targeted insertion in the holder is child's play. Increases your efficiency: Wiha MagicRing® holding feature holds all hex screws in place without a magnet.

	001113
Order-No	
07051	
37351	5
	1,5 / 2 / 2,5
	3 / 4 / 5 / 6 / 8 / 10
MagicRing [®]	from size 3 mm.Based on ISO 2936L.





INFOBOX: Ball end hex



MagicRing

Wiha hexagonal ball end

• The ball end can be rotated by up to 25° in both clockwise and anti-clockwise direction.



Hexagon	Hexagonal ball end matt chrome-plated 11-pcs. 36							i9 H1																		
Order-No.																							í	-		
36453																							Ę	5		
	1,5	5	/	2	/	2,5	/	Э	3,	/	4	/	5	/	6	/	7	/	8	/	9	١,	/	10		
Including 7 n	nm an	d	9 r	mm	1 S	pecia	l si	ze	s.E	Bas	sec	d o	n I	SÖ	29	36	L.									



INFOBOX:

MagicRing[®]

Wiha MagicRing®

- Spring steel ring reliably holds hex screws in place
- An innovation, which will benefit each user.





Simplifies your work: The ball end facilitates access to screws and allows you to work at an angle of up to 25°. Facilitates handling: Always the correct key when you need it. Saves time: Ensures order: removing and targeted insertion in the holder is child's play.





Increases your efficiency

Wiha combination pliers: perfectly adapting to all situations as multiple operations are performed by a single tool.

Protects your health

Wiha pliers are kind to the muscles and ergonomic to work with, permanently reducing wrist strain.

Offers you full protection

Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.


Trimming/ cutting A cut above the rest with Wiha.

A precise cut at the right time - no problem for Wiha diagonal cutters, heavy-duty diagonal cutters, cable cutters, cable shears and combination pliers. With the perfect combination of high-quality materials and ergonomic comfort, Wiha VDE-tools withstand the toughest demands. Production is in accordance to the state-of-the-art quality management guidelines. A special heat treatment and inductive hardening of the parts under high stress ensure a long lifespan. The precise interaction of the joints and the exacting quality workmanship of the blades and gripping surfaces ensure the highest level of functionality.

All Wiha products have been designed according to the latest findings in ergonomics. Ergonomic handles and well thought-out soft and hard zone distribution makes for workthat protects the hands from strain and is comfortable.

"With BiCut[®], I always have sufficient power when cutting and without aching fingers." Timo Schweitzer

74 wiha 📾





Double your power at the push of a button.



Precise and safe work – at double the power: no problem for the Wiha BiCut® Professional electric diagonal cutters. If there is not enough power when cutting, or if cutting is laborious, a simple push of a button is all that is required and the cutting power is doubled. Another push of the button, and the power is halved again – easy! This significantly reduces the risk of cramp or slippage when applying too much force. The extra-wide back for the handle, with perfectly distributed soft and hard zones, ensures the optimum ergonomics. The new generation of Wiha pliers has already been awarded with the "reddot award 2014winner" for outstanding design quality.

Doubles the power at the press of a button






- Increases your efficiency Two pliers in one - 200 % power at the touch of a button, available at any time.
- Protects your health Requires less force and reduces pressure on the wrists.
- Offers you full protection Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.



BiCut® Professional electric high-performance diagonal cutters with DynamicJoint®



Lowers your costs: Durable thanks to high-quality, chromed plier surface to prevent corrosion. Protects your health: Requires less force and reduces pressure on the wrists. Increases your efficiency: Two pliers in one - 200 % power at the touch of a button, available at any time. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

switchabl	е					Z 18 0
Order-No.	mm		SB			
38191	200	8		21	3	5
38984	200		х	21	3	5
Manufactured	acc. to IE	C 60900):2012.			




Combination pliers Professional electric with DynamicJoint[®] and

OptiGrip



Protects your health: Special DynamicJoint® design reduces effort required for cutting. Increases your efficiency: A secure, non-slip grip in all standard work situations. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Order-No.		€		≫	2	
26705	160	6 ½		16	1.6	5
27328	160	6 ½	х	16	1.6	5
26708	180	7		16	1.8	5
27418	180	7	х	16	1.8	5
26711	200	8		17	2	5
27419	200	8	х	17	2	5



- A firm hold: The "triple-point support" protects the workpiece from twisting or slipping.
- Highly effective: Optimum grip even with large jaw opening - and at the same time significantly less force needed.
- A wide selection: Now in standard Wiha combination pliers and high leverage combination pliers.



INFOBOX: Safety note

• When working with cutting pliers - beware of wire ends flying off. Please wear safety glasses.

INFOBOX: Cutting capacity info

Rating Example
Set 1 - 5 copper,aluminium
3 6 - 10 Iron nails
>11 - 15Spring wire, steel nails
№ 16 - 20 Hardened spring steel

High-leverage combination pliers Professional electric with DynamicJoint[®] and OptiGrip



Simplifies your work: Up to 40% more cutting force thanks to optimised leverage. Lowers your costs: Durable thanks to high-quality, chromed plier surface to prevent corrosion. Protects your health: Special DynamicJoint[®] design reduces effort required for cutting. **Increases your efficiency:** A secure, non-slip grip in all standard work situations. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

with extra long cutting edge

Order-No. mm 🖬 🕟 泽 Ømm 18 2.3 26714 200 8 5 27420 200 8 18 2.3 5 х 26717 225 9 19 2.5 5 27421 225 9 x 19 2.5 5

DIN ISO 5746. Manufactured acc. to IEC 60900:2012.

INFOBOX: **DynamicJoint**[®]



- Innovative: Optimised joint construction.
- Effective: Minimal power loss means less force needed for cutting.
- Permanent: Optimal performance even after thousands of cuts.

Z 02 0 06



20% Powe

INFOBOX: Safety note

Diagonal cutters Professional electric with DynamicJoint®

Lowers your costs: Durable thanks to high-quality, chromed plier surface to prevent corrosion. Protects your health: Special Dynamic-Joint® design reduces effort required for cutting. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

						Z 12 0 06
Order-No.	₩mm	₩	SB	≫	Ømm	-
26737	140	5 1⁄2		16	1.4	5
27428	140	5 ½	х	16	1.4	5
26741	160	6 ½		16	1.6	5
27429	160	6 ½	х	16	1.6	5
26744	180	7		17	1.8	5
27430	180	7	х	17	1.8	5

Cable cutter Professional electric



Lowers your costs: Durable thanks to high-quality, chromed plier surface to prevent corrosion. Increases your efficiency: Clean work thanks to cable cutting without crushing. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

						Z 50 1 06
Order-No.	₩mm	↔	≫	mm²	SB	-
34743	160	6 ½	16	50		5
35704	160	6 ½	16	50	х	5
34744	200	8	20	60		5
35705	200	8	20	60	х	5
Manufactured a	cc. to IE	C 60900	:2012.			

Combination pliers Professional electric with DynamicJoint[®] and OptiGrip

Protects your health: Special DynamicJoint® design reduces effort

required for cutting. Increases your efficiency: A secure, non-slip grip in all standard work situations. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

with extra	long	cutting	edge
------------	------	---------	------

with extra						Z 01 0 06
Order-No.	₩mm	↔	SB)	≫	Ømm	-
26705	160	6 ½		16	1.6	5
27328	160	6 ½	х	16	1.6	5
26708	180	7		16	1.8	5
27418	180	7	х	16	1.8	5
26711	200	8		17	2	5
27419	200	8	х	17	2	5
DIN ISO 5746.	Manufac	tured ac	c. to IEC	60900:2	012.	



Meets your requirements: For almost flush cutting of soft and semi-hard wires. Protects your health: Reduced risk of injury thanks to smooth burr-free finished results, for example with cable ties.

with open	ing spi	ring		Z 44 3 01	
Order-No.	₩mm	↓	≫	Ømm	-
36189	125	5	7	0.8	5
DIN ISO 5749.		• • • • • • • • • • • • • • • • • • • •			

Plastic diagonal cutters Classic W

Meets your requirements: For the smooth and flush cutting of plastics. Protects your health: Reduced risk of injury thanks to smooth burr-free finished results, for example with cable ties.

with opening spring without bevelled edge								
Order-No.	€mm	↔	≫	-				
37402	125	5	2	5				
37403	160	6 ½	3	5				
DIN ISO 5743.		•						



• When working with cutting pliers - beware of wire ends flying off. Please wear safety glasses.



Simplifies your work: Large blade notch and micro-toothed cutting edge prevent the cable from slipping out of the shears. Increases your safety: Protective cover with retaining clip for safe carrying. Facilitates handling: The combination between a sturdy blade and an ergonomic handle with extra large handle holes enable users to make a flawless cut into cables up to 50 mm². Increases your efficiency: Electrical shears with stripping, skinning, crimping & cutting-to-length functions in a single tool.

with crimp	functi	on in	blister pack Z 71 7 160 06 SB
Order-No.			—
41923	160	50	5


Craftsman's cutters

Increases your efficiency: Can be used universally thanks to its small and compact form.

Standard m	odel ı	made	of stainless steel Z 71 5 06
Order-No.	₩mm	₩	—
29420	145	5 ¾	5







Supplying/ holding Supplying – completely relaxed.

In the supplying and holding working procedures, Wiha pliers prove to be clever helpers for relaxed and efficient work. For instance, the OptiGrip of the combination and high-leverage combination pliers ensure optimal and secure holding using an innovative gripping surface: The unique 'triple-point support' protects the work piece from twisting or slipping. The circlip pliers from the Classic Series with their MagicTips[®] precision tips made of high-performance steel offer considerable additional safety and stability. Their special latching function is especially useful against in preventing the circlips jumping off.

"You only have to lose a circlip,and then you realize the benefits of Wiha pliers!" Frank Scheck

82 **wiha**





Combination pliers Professional electric with DynamicJoint® and OptiGrip





Protects your health: Special DynamicJoint® design reduces effort required for cutting. Increases your efficiency: A secure, non-slip grip in all standard work situations. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

with extra long cutting edge

Order-No.	mm	Ť	SB	≫	Ømm								
26705	160	6 ½		16	1.6	5	with extra	long o	utting	g edge			Z 02 0 06
27328	160	6 ½	х	16	1.6	5	Order-No.	₹	₩	SB	>	Ømm	—
26708	180	7		16	1.8	5	26714	200	8	******	18	2.3	5
27418	180	7	х	16	1.8	5	27420	200	8	х	18	2.3	5
26711	200	8		17	2	5	26717	225	9		19	2.5	5
27419	200	8	х	17	2	5	27421	225	9	х	19	2.5	5
DIN ISO 5746.	Manufac	tured ac	c. to IEC (60900:2	012.		DIN ISO 5746.	Manufac	tured ac	c. to IEC	60900:2	012.	

Z 01 0 06

Water pump pliers Professional electric



Meets your requirements: Permanently stable through box joint with double guidance. Lowers your costs: Durable thanks to high-quality, chromed plier surface to prevent corrosion. Increases your efficiency: Fast and simple adjustment of pliers with push button. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

with push	h push button adjustment				Z 22 0 06	box type					Z 21 0 06		
Order-No.	₩mm	₩	0;	0;	SB	—	Order-No.	€mm	↔	0;	0;	SB	—
37450	250	10	2	50		5	33520	250	10	2	50		5
38632	250	10	2	50	x	5	38631	250	10	2	50	х	5
DIN ISO 8976.	Manufac	tured acc	. to IEC (60900:2	012.		DIN ISO 8976.	Manufact	tured acc	c. to IEC	60900:2	012.	

Increases your efficiency

Wiha gripping pliers enable safe, non-slip gripping in all work situations.

wiha

Lowers your costs

With a special fastening feature in their tips, Wiha circlip pliers keep circlips sturdy and firmly in position, preventing damage in the working environment.

Offers you full protection

Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.



84 wiha 🗠

High-leverage combination pliers Professional electric with Dyna-micJoint[®] and OptiGrip



Simplifies your work: Up to 40% more cutting force thanks to optimised leverage. Lowers your costs: Durable thanks to high-quality, chromed plier surface to prevent corrosion. Protects your health: Special DynamicJoint[®] design reduces effort required for cutting. Increases your efficiency: A secure, non-slip grip in all standard work situations. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Water pump pliers Professional electric



Meets your requirements: Permanently stable through box joint with double guidance. Lowers your costs: Durable thanks to high-quality, chromed plier surface to prevent corrosion. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.





for 1,000 V AC.

Needle nose pliers Professional electric

Lowers your costs: Durable thanks to high-quality, chromed plier surface to prevent corrosion. Increases your efficiency: Extra-long plier head for inserting low-lying components. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

©[™]E**G** € 1000 V IEC 60900

Z 05 0 06

Long flat-nose pliers Professional electric

Increases your efficiency: Extra-long plier head for inserting low-lying components. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

with cutting edge straight shape Order-No. mm II SB S Ø

				Ømm	—
160	6 ½		16	1.2	5
160	6 ½	х	16	1.2	5
200	8		17	1.6	5
200	8	х	17	1.6	5
	160 160 200 200	160 6 ½ 160 6 ½ 200 8 200 8	160 6 ½ 160 6 ½ x 200 8 200 200 8 x	160 6 ½ 16 160 6 ½ x 16 200 8 17 200 8 x 17	160 6 ½ 16 1.2 160 6 ½ x 16 1.2 200 8 17 1.6

DIN ISO 5745. Manufactured acc. to IEC 60900:2012.

Needle nose pliers Professional electric

Z 07 0 06

Order-No.	mm	Ť,	SB	—
26732	160	6 ½		5
27426	160	6 ½	Х	5
DIN ISO 5745.	Manufac	tured ac	c. to IEC 60900:2	012.

DYE € 21000 V IEC 60900

Increases your efficiency: Extra-long plier head for inserting low-lying components. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

with cutting	edge	curved	shape,	approx.	40 °
--------------	------	--------	--------	---------	-------------

Order-No.	mm	← II	SB	≫	Ømm	-
26728	160	6 ½		16	1.2	5
27424	160	6 ½	х	16	1.2	5
26729	200	8		17	1.6	5
27425	200	8	х	17	1.6	5
DIN ISO 5745.						

Lowers your costs: Durable thanks to high-quality, chromed plier surface to prevent corrosion. Increases your efficiency: Extra-long

protection: Each tool individually tested at 10,000 V AC and approved

plier head for inserting low-lying components. Offers you full



NO 43		
KS4	KS5 Silver Silver	
538	ENA	J

RES T.



Z 09 0 06





For those situationswhere a good grip is essential.



They make our circlip pliers for the Classic series head and shoulders above the rest: MagicTips[®], the precision tips made of high-performance steel. Additionally hardened, they offer a high level of resistance to wear and therefore ensure a long shelf-life. The special latching feature is as unique as it is useful, and prevents jumping of the circlips and therefore any reworking in the motor or working space caused by lost circlips. And thanks to the non-slip pliers handle, precise work is also guaranteed in unfavourable situations. Hard as nails, durable, safe, accurate: These qualities make Wiha MagicTips[®] circlip pliers useful and indispensable helpers during day-to-day work.



88 wiha 🗠

- Lowers your costs Prevents damage caused by lost circlips in the work area.
- Saves time Safe and sturdy grip on circlips.



Pliers set Classic with MagicTips®

Circlip pliers Classic with MagicTips®



Lowers your costs: Prevents damage caused by lost circlips in the work area. Saves time: Safe and sturdy grip on circlips.

Order-No.	Тур	€mm	₩	C	SB	
34688	JO	140	5 ½	8-13		5
36975	JO	140	5 ½	8-13	х	5
34689	J 1	140	5 ½	12-25		5
36225	J 1	140	5 ½	12-25	х	5
34690	J 2•	180	7	19-60		5
36222	J 2•	180	7	19-60	х	5
34691	J 3•	220	9	40-100		5
36272	J 3•	220	9	40-100	х	5
34692	J 4•	305	12	85-140		5

ن for outer rings (shafts), straight Z 34 4 01									
Order-No.	Тур	₩mm	← II	Ů	SB	—			
34698	A 0	140	5 1⁄2	7-10		5			
36977	A 0	140	5 1⁄2	7-10	Х	5			
34699	A 1	140	5 ½	10-25		5			
36978	A 1	140	5 ½	10-25	х	5			
34700	A 2•	185	7	19-60		5			
36220	A 2•	185	7	19-60	Х	5			
34701	A 3•	240	9	40-100		5			
36219	A 3•	240	9	40-100	Х	5			
34702	A 4•	300	12	85-140		5			
 with safety la 	tching fur	nction							

- win satety latching function DIN ISO 5254.

Lowers your costs: Prevents damage caused by lost circlips in the work area. Saves time: Safe and sturdy grip on circlips.

Circlip pliers 4-pcs.							
34708	1						
	ing/ holding						
C	Circlip pliers Classic with MagicTips® for inner rings (holes), straight J 1, 140mm (34689) / J 2, 180 mm (34690)						
U	Circlip pliers Classic with MagicTips [®] for outer rings (shafts), straight A 1, 140mm (34699) / A 2, 185 mm (34700)						





90 **wiha** 🗠

Wiha MagicTips $^{\ensuremath{\$}}$ – Top of their class.

- Maximum grip: The special latching function preventing jumping away of the safety rings makes the Wiha circlip pliers truly unique.
- Hard as steel: Additional hardening of tips means high wear resistance and therefore excellent durability.
- Precise: Precision tips of high performance steel for maximum grip and high stability.











\odot for inner rings (holes) with angled shape

						Z 33 5 01
Order-No.	Тур	₩mm	₩ H	C	SB	-
34693	J 01	140	5 ½	8-13		5
36976	J 01	140	5 ½	8-13	х	5
34694	J 11	140	5 ½	12-25		5
36223	J 11	140	5 ½	12-25	х	5
34695		180	7	19-60		5
36224	J 21•	180	7	19-60	х	5
34696	J 31•	220	9	40-100		5
36226	J 31•	220	9	40-100	х	5
34697			12	85-140		5
 with safety la 	atching fur	nction				


DIN ISO 5256.

\circlearrowright for outer rings (shafts), angled

						Z 34 5 01
Order-No.	Тур	₩mm	₩	U	SB	-
34703	A 01	140	5 ½	7-10		5
36979	A 01		5 ½	7-10	х	5
34704			5 1⁄2	10-25		5
36980			5 1⁄2	10-25	х	1
34705				19-60		5
36218	A 21•	185	7	19-60	х	1
34706	A 31•	240	9	40-100		5
36221			-			5
34707	A 41•		12	85-140		5
 with safety la 	atching fun	ction				

DIN ISO 5254.





Protects your health

Wiha pliers are kind to the muscles and ergonomic to work with, permanently reducing wrist strain.

Lowers your costs

Thanks to the integration and combination of several operations in one tool, this removes the need for several tools.

Offers you full protection

Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Stripping/ insulating/ crimping For tidy cable ends.

It is particularly important to have an exacting, process-reliable approach when crimping to prevent fiddly wire-end sleeves snagging or twisting all the time. Wiha crimping tools guarantee a clean, precise crimping of components. The worker's pressure force is automatically adjusted. Only slight hand strength is required thanks to optimum transmission. The different interchangeable crimping inserts provide for all normal wire-end sleeves. These tools are suitable for handling a whole variety of components, from cable eyes and contacts through to male blade connectors. The automatic electric crimping pliers particularly impress with a feed and automatic adjustment to the wire-end sleeve size. Hexagonal crimping prevents wire-end sleeves from twisting in the pliers.

"The automatic crimping pliers allow me to do my work much more quickly without the fiddly wire-end sleeves snagging or twisting all the time."


Ralf Flaig







Less tools means less weight, better handling and more efficient work. The Wiha Professional electric TriCut installation pliers combine three tools in one, ideal for the three operations cutting-to-length, stripping and skinning. And it does all this while saving you energy: Due to an ergonomically shaped, specifically angled plier head forged from high-quality steel. The low-wear, inlaid joint with heavy-duty riveting makes the pliers particularly robust and durable, and production and testing according to IEC 60900, VDE/ GS certification and individual piece testing at 10,000 V AC ensures uncompromising safety.





Simplifies your work The angled shape of the head allows work to be performed in hard-to-reach spaces such as installation boxes. Increases your efficiency

Three tools in one. Saves 60% volume and 50% less weight for 100% efficiency.

• Lowers your costs Now you only need one tool for three tasks: cutting to length, stripping and skinning.

• Offers you full protection Each tool individually tested at 10,000 V AC and

Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.






Simplifies your work: The angled head allows you to work in hard-to-reach places such as installation sockets. Lowers your costs: Now you only need one tool for three tasks: cutting to length, stripping and skinning. Increases your efficiency: Three tools in one. Saves 60% volume and 50% less weight for 100% efficiency. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Order-No.	₩mm		SB	*	Ømm
38552	170	7		13	1.6
00002	110				
38853	170	7	х	13	1.6

ired acc. to IEC 60900:2012



Lowers your costs: Durable thanks to high-quality, chromed plier surface to prevent corrosion. Saves money: Two tools in one for cutting to length and skinning. Protects your health: Special DynamicJoint® design reduces effort required for cutting. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

						Z 14 0 06
Order-No.		↓	SB	≫	Ømm	—
26745	160	6 1⁄2		13	1.6	5
27431	160	6 ½		13	1.6	5

		↔		mm²	SB	
26847	160	6 ½	5	10		5
27437	160		5	10	х	5

Lowers your costs: Durable thanks to high-quality, chromed plier

from continuous work thanks to opening spring. Increases your

10,000 V AC and approved for 1,000 V AC.

surface to prevent corrosion. Protects your health: Reduces strain

efficiency: Skinning of several cross-sections due to wide variety of

settings. Offers you full protection: Each tool individually tested at

Needle nose pliers Inomic[®] VDE



Saves money: Two tools in one for cutting to length and skinning. Protects your health: Ergonomic handling enables users to work longer whilst protecting muscles. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

with cuttir	ng edg	e and	strippir	z 06 0 16
Order-No.	Тур	≫	Ø	—
33259	160	12	1.6	5



Simplifies your work: Perfect handling thanks to ergonomic handle shape. Saves time: Automatic setting from round to length cutting. Increases your efficiency: Skinning of all standard cross-sections through continuous setting.

with self-r	otating	g traili	ng blade		246 22 02
Order-No.	₩mm	₩	Ømm	SB	—
35969	165	6½	4,0-28		1

Stripping tool



Simplifies your work: Enables stripping in hard-to-reach places such as installation sockets.

for round ca	able, i	in blis	ter pa	ck	246 77 SB	for coaxial	cable		-		246 76 SB
Order-No.	₩mm		mm²	SB	-	Order-No.	₩mm	₩	mm²	SB	-
36052	125	5	8-13	х	1	36051	110	4¼	4,8-7,5	Х	1







Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

straight cut	ting e	dge fo	or round	cables in blister pack 246 80 SB						
Order-No.	₩mm	₩ H	SB	—						
38798	200	8	х	1						
Manufactured ac	Manufactured acc. to IEC 60900:2012.									



Lowers your costs: No damage to wire insulation through sliding shoe on tip.

hooked blade with sliding shoe for round cable, in blister pack

				246 78 SE
Order-No.		₩		-
36053	200	8	х	1
Manufactured a			:2012.	

Stripping tool



Simplifies your work: Enables incremental cable stripping and skinning in hard-to-reach places such as installation sockets.



Stripping tool automatic



Lowers your costs: Long-lasting and robust thanks to metal blade insert. Protects your health: Damper enclosed for large cable crosssections to reduce recoil and protect wrists. Saves time: Blades quickly exchanged by immediately available replacement blades in the handle. Increases your efficiency: Automatic stripping pliers for a wide range of cables between 0.03 and 16 mm².

up to 16 n	nm² in l	olister pacl	Z 57 0 06	
Order-No.	AWG	mm ²	SB	—
42062	32-5	0,03 - 16	х	1

Stripping tool automatic

Automatic crimp tool



Lowers your costs: An integrated lever enables users to interrupt the crimping process at any time to protect the pliers. Increases your safety: Safe work through feed aid prevents crimping the plastic cover of wire-end sleeves. Facilitates handling: Thanks to hexagonal crimping, small wire-end sleeves no longer get caught. Increases your efficiency: Automatic adjustment of wire-end sleeve size with suitable crimping force for a large coverage area of 0.08-16mm².

for wire-end sleeves hex crimping

Crimp tool

for wire-end sleeves hex crimping Z 62 0 005 06 SB									
Order-No.	₩mm	mm²	AWG	SB	-				
41246	210	0,08-16	28-5	х	1				
For processing twin sleeves and wire-end sleeves with or without insulating collar as per DIN 46228 & EN 50027									

/// 🔣 📰 🚞



Simplifies your work: Unrestricted access to hard-to-reach work areas thanks to extremely slim handle shape. Saves money: Two tools in one for cutting to length and skinning. Increases your efficiency: Damage-free stripping thanks to automatic adjustment to cable diameter.

up to 6 mm² in blister pack

up to 6 mr				246 75		
Order-No.	mm	↓	mm²	AWG	SB	-
36050	190	7 1⁄2	0,2-6,0	24-10	х	1

Increases your safety: Safe working through automatic pressing adjustment. Increases your efficiency: Covers all standard wire-end sleeves thanks to replaceable crimping inserts.

-end sl	leeves		Z 62 0 001 06
₩mm	mm²	AWG	-
220	0,14-10	26-8	1
220	0,14-10	26-8	1
	₩m 220	mm mm² 220 0,14-10	mm mm² AWG 220 0,14-10 26-8

For processing of wire-end sleeves with and without isolating collar according to DIN 46228, EN 50027

Crimp tool

connectors according to DIN 46234.

Increases your safety: Safe working through automatic pressing adjustment.

for insulated cable eyes and contacts						
Order-No.	₩mm	mm ²	AWG	-		
33841	220	0,5-6	20-10	1		
For processing of red, blue and yellow isolated cable eyes, pin-end cable connectors, contact pins, contact pin sleeves, circular pins, circular pin sleeves, batch connectors and parallel						

	-	
18°		
(a)		

Increases your safety: Safe working through automatic pressing adjustment.

for non-insulated	cable (eye with	closed	sleeve
-------------------	---------	----------	--------	--------

Order-No.	₩mm	mm²	AWG	—			
33843	220	0,1-16	26-6	1			
For processing of non-isolated contact pins and contact pin sleeves according to DIN 46247 for standardised, solderless electrical connections.							

Z 62 0 004 06



Increases your safety: Safe working through automatic pressing adjustment.

for non-ins	for non-insulated male blade connectors Z 62 0 003 06								
Order-No.	₩mm	mm²	AWG	—					
33842	220	0,25-6	22-10	1					
For processing of non-isolated contact pins and contact pin sleeves according to DIN 46247 for									

standardised, solderless electrical connections.



Meets your requirements: Safe pressing in marked trapezoidal/ semi-circular profiles. Lowers your costs: Durable thanks to highquality, chromed plier surface to prevent corrosion. Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

							Z 60 0 06
Order-No.	₩mm	₩	mm²	SB		—	
35861	145	5 ¾	0,25-2,5			5	
38985	145	5 ¾	0,25-2,5	х		5	
35862	180	7	0,25-16		V	5	
38986	180	7	0,25-16	х	V	5	
			. to IEC 60900:2				



Surveying/ marking/ measuring/ checking This is what we call precision work made to measure.

Wiha measurement and testing devices prove to be dependable helpers during electrical installation work. The multi-functional torch impresses in three ways thanks to its integrated laser, UV light and LED light with two lighting levels. With variable distance marks, the Wiha electrician's spirit level can reach across up to four flush boxes. Thanks to its ingeniously positioned scale, it allows users to make measurements effortlessly from different work positions. Users are guaranteed to see bubbles perfectly, even from a sharp angle. The Wiha electrician's folding ruler provides a scale for up to three flush boxes and edge distance marking at 150 mm. It can also be used to route cables into hard-to-reach installation locations. With its florescent coating, the folding ruler is also quick and easy to find in the dark with a UV light.

Simplifies your work

0

Torch with integrated laser makes it easier to fix positions more precisely and project measurements for ceiling installations, for example. Perfect light positioning thanks to lamp head swivelling in an L shape.

Increases your efficiency

Wiha spirit level with both bubbles perfectly visible, even from a sharp angle.

Saves space

Perfectly portable; fits into Wiha cases.




"The Wiha spirit level is a big hit! I can see the bubbles perfectly even when taking measurements above my head. I can also mark out measurements without needing to take a break." Ralf Kästle

100 wiha wate







Even the most experienced professional tradesmen find it difficult to work efficiently in poorly lit work environments. The Wiha multi-functional torch sheds light on things in three ways: It features an integrated laser, UV light and LED light with two lighting levels. It is thus a compact, universal work tool which replaces several instruments in a single device. The integrated laser offers a great advantage, providing detailed positioning and easy transmission of measurements for tasks such as ceiling installations. This torch is even more practical for portable use thanks to the retaining clip, magnetic positioning and swivelling lamp head used to point the light in the required direction. Compact, light and multi-functional, the Wiha torch ensures optimum illumination for perfect vision and positioning.



102 **Wiha**

• Simplifies your work

Retaining clip and magnetic positioner on the lid allows you to keep hands free for other tasks.

• Simplifies your work

Integrated laser makes it easier to fix position more precisely and project measurements for ceiling installations, for example. Perfect light positioning thanks to lamp head swivelling in an L shape.

• Increases your efficiency

Very strong LED lamp – two light intensities to adjust to light conditions as required. Includes laser and UV light.

• Increases your safety

Power-on time of 2 seconds prevents the laser being activated by accident.






Simplifies your work: Retaining clip and magnetic positioner on the lid allows you to keep hands free for other tasks. Integrated laser makes it easier to fix position more precisely and project measurements for ceiling installations, for example. Perfect light positioning thanks to lamp head swivelling in an L shape. Increases your safety: Power-on time of 2 seconds prevents the laser being activated by accident. Increases your efficiency: Very strong LED lamp – two light intensities to adjust to light conditions as required. Includes laser and UV light.

in blister pack, including 3 AAA batteries

In Dilster pack, including 3 AAA batteries						
Order-No.	LED	*	UV	SB	-	
41286	100 / 280 lumen	Class 2	300 - 400 mW	Х	5	









Increases your safety: Checking your torque tool regularly guarantees safe, precise work with the correct torque. **Saves time:** LED traffic light system displays results in a way which is quick and easy to understand. **Increases your efficiency:** Fast, easy checking of your torque tool thanks to mobile, compact shape.

with adapter blades and batteries in box

	•••••			
Order-No.		+/-1%	SB	
42086	2,8	2	Х	



104 **wiha** 🐵





290
1





Electrician's Longlife® folding ruler, 2 m



Simplifies your work: Voltage tester operational at all times through automatic activation. Increases your efficiency: Fast voltage testing thanks to non-contact measurement within a field of 4mm.



Simplifies your work: Integrated with cable retractor for cables between 3-7mm. Lowers your costs: Ruler guick and easy to find - even in dark environments with a UV light. Increases your efficiency: Ruler with integrated distance marks for up to 3 flush boxes.

<C

orange

Folding ruler LongLife Plus Composite 2 m

			255-12			
Order-No.	•1	—	-	metric, 10	•	
37871	4,2	149	10	Order-No.	ţ	•
IEC 61010-1				42068	15	ora

Voltage tester SoftFinish[®] single-pole, 110-250 volts





metric, 10 segments

,,			410 2005
Order-No.	‡ IIIII	√C	-
37067	15	red/ black	10
37309	15	grey/ white	10 10



Simplifies your work: Comfortable measurement in different work positions thanks to the ingeniously positioned scales, even when viewed from above. Saves space: Perfectly portable; fits into Wiha cases. Saves time: Variable distance marks for up to 4 flush boxes. Increases your efficiency: Both bubbles can be seen easily even from an acute angle.

40 cm


4102008

10

Electrician's spirit level

Order-No.	mm
42074	400





Increases your efficiency: Stable and as robust as a fully-fledged screwdriver. Offers you full protection: Each tool individually tested

at 10,000 V AC and approved for 1,000 V AC.



- Testing pen detects AC voltages of up to 230 V AC
- A bright red LED indicates AC voltages
- A current flow through the user's body is not necessary • Complies with IEC 61010-1 safety standard: Measuring category CAT III 1,000 V
- Detects AC voltages within a field of 4 mm.
- CE compliant







veying/ marking/ suring/ checking





Striking **Optimum power transmission.**

Specially tailored for use by electricians: Wiha impact tools. With optimally uniform weight distribution, the Wiha electric hammer strikes a perfect balance and is also eminently suitable for use in confined working environments. Its flat claws allow you to remove nails and nail clamps easily. The flat surface on the hammer handle ensures cables and dowels are fitted into position without causing any damage to the cable duct or plasterboard. Wiha's scaled impact screwdriver blade ensures that the portable dowel racket makes a perfectly dimensioned dowel hole to the required depth anywhere at any time and without making a mess, unlike power tools. The galvanic separation between the blade and solid steel cap ensures that the user is always protected, even if they accidentally hit a live wire.

"Fits nicely into the hand and can be used in a variety of ways. It's now a permanent fixture in my toolbox!" Andreas Ebener

108 wiha 🗠







Thanks to its optimum balance, the electrician's hammer is perfectly sized in the hand while also providing a secure hold when hammering thanks to the ergonomically shaped hammer handle. With its U-shaped impact surface, the Wiha electrician's hammer delivers the optimum solution to working in corners and confined spaces. You can quickly and easily remove nails and nail clamps from walls with the flat claws on the hammer head. The flat surface on the hammer handle means cables and dowels are positioned effectively without causing any damage to the wall.



110 **wiha**

• Simplifies your work

Flat claws allow you to remove nails and nail clamps easily.

• Increases your efficiency Perfect balance thanks to optimum weight distribution for effective handling.

Improves access Perfectly suited for use in confined working environments thanks to the combination of a

environments thanks to the combination of a square and round head shape.

• Increases the quality of your work

The flat surface on the hammer handle ensures cables and dowels are fitted into position without causing any damage.



Electrician's hammer

200 a in blister peak

1





Simplifies your work: Dirt- and dust-free work compared to when machines are used. Increases your safety: Galvanic separation in the handle prevents a discharge between the striking cap and the blade. Protects your health: Dowel hole can be made anywhere using a hammer at any time, even near power sockets. Saves time: Hammer dowel holes anywhere at any time without worrying how near you are to wall sockets. Increases your efficiency: Scaled impact screwdriver blade provides more detailed depth measurement. Perfectly dimensioned dowel hole thanks to blade adjusted to required size.

Simplifies your work: Flat claws allow you to remove nails and nail clamps easily. Increases your efficiency: Perfect balance thanks to optimum weight distribution for effective handling. Improves access: Perfectly suited for use in confined working environments thanks to the combination of a square and round head shape. Increases the quality of your work: The flat surface on the hammer handle ensures cables and dowels are fitted into position without causing any damage.

846

🕀 Phillips with 6	mm round blade in blister pack,	
5-pcs.		
Order-No.	Ømm 🗕	_

6

1 x PH2 x 100

Order-No.

41289

SB 534S5	300 g in bl				
	Order-No.	÷	⊨	↓ g ↓	—
	42071	23,9	283	500	4



• Dowel hole can be made anywhere using a hammer at any time, even near power sockets.

Subject to technical changes.

All illustrations and graphics, specified dimensions and valuesand references to standards, e.g. DIN/EN, are non-binding. Any liability claims based on this will therefore be rejec ted.No liability claims will be accepted for printing errors and mistakes which have occurred during the production of the catalogue.

All property rights to the catalogue held by Wiha Werkzeuge GmbH are reserved. The printing or copying of the texts and illustrations contained in this catalogue or its design is prohibited.

Our General Terms and Conditions (Terms of Sale, Deliveryand Payment) apply.

TORX®, TORX PLUS® = Registered Trademarks of ACUMENT GlobalTechnologies B.V.

ACR/AOT, Tri-Wing^{®,} Torq-Set^{®=} Registered Trademarks of Phillips Screw Company

Pozidriv= Registered Trademark of European Industrial Services Ltd.

Protective measures

For all work on or near live parts, use the following required for the respective work

- skinning personal safety equipment,
- skinning safety equipment and insulated tools

Work should generally not be carried out on live active parts of electrical systems and electrical equipment. As a result, the electrical power should be switched off before starting work and this statemust be ensured for the duration of the work. This is done by complying with the five safety rules.

Before beginning work:

- isolate
- protect against being switched on again
- check no voltage is present
- earth and short-circuit
- cover or block access to neighbouring live parts.



Wiha list of order numbers

Order-No.		Order-No.		Order-No.		Order-No.	
00		00846	50	01811	58	06638	61
00684	57	00847	50	01812	58	06639	61
00685	57	00848	50	01913	58	06888	59
00686	57	00849	50	03		06889	58
00687	57	00850	50	03223	56	20	
00689	57	00853	51	03224	56	20218	60
00690	57	00855	51	03225	56	20219	60
00691	57	00856	51	03226	56	20220	60
00692	57	00857	51	03228	56	20221	60
00694	57	00858	51	03230	56	20222	60
00695	57	00859	51	03231	56	20223	60
00696	57	00860	51	03232	56	20224	60
00697	57	00861	51	03237	56	21	
00698	57	00862	51	03238	56	21045	60
00700	57	00863	51	03239	56	21047	60
00701	57	00864	51	03245	56	22	
00702	57	00865	51	03246	56	22509	59
00703	57	00866	51	03247	56	22510	59
00704	57	00867	51	03760	50	22511	59
00706	57	00868	51	03761	50	22512	58
00707	57	00877	50	03762	50	23	
00708	57	00878	50	03988	73	23145	61
00709	57	00879	50	04		23147	61
00711	57	00880	50	04009	59	23149	61
00712	57	00881	50	04010	59	23151	61
00713	57	00882	50	04059	58	23195	60
00819	50	01		04126	59	23197	60
00820	50	01418	73	04127	59	23199	60
00821	50	01790	58	04176	58	23201	60
00822	50	01791	58	04194	61	23203	60
00823	50	01792	58	04195	61	23205	60
00824	50	01793	58	04196	61	23207	60
00825	50	01794	58	04197	61	23209	60
00826	50	01795	58	04198	61	23211	60
00827	50	01796	58	05		23213	59
00828	50	01798	58	05301	61	23215	59
00829	50	01799	58	05302	61	23217	59
00830	50	01800	58	05303	61	23219	59
00831	50	01803	59	05799	58	23221	58
00832	50	01805	59	05800	59	23223	58
00833	49	01808	58	06		23225	58
00834	49	01809	58	06637	61	23226	58

Order-No.		Order-No.	
23227	58	26864	30
23228	58	26931	57
24		27	
24867	60	27328	79
25		27328	80
25477	49	27328	85
25553	60	27418	79
25739	61	27418	80
25740	61	27418	85
25741	61	27419	79
25742	61	27419	80
26		27419	85
26000	60	27420	79
26002	60	27420	85
26625	30	27421	79
26626	30	27421	85
26627	30	27422	86
26705	79	27423	86
26705	80	27424	86
26705	85	27425	86
26708	79	27426	86
26708	80	27427	86
26708	85	27428	80
26711	79	27429	80
26711	80	27430	80
26711	85	27431	96
26714	79	27437	96
26714	85	27753	57
26717	79	27754	57
26717	85	27755	57
26720	86	27928	53
26727	86	27929	53
26728	86	27930	53
26729	86	27931	53
26732	86	27932	53
26735	86	27933	53
26737	80	27934	53
26741	80	27935	53
26744	80	28	
26745	96	28481	60
26755	17	29	
26847	96	29416	67

114 **Wiha**

Order No	
Order-No. 29417	67
29420	81
29466	51
30	50
30361	50
30362	50
30363	50
30364	50
30365	50
30366	50
30700	50
30701	50
31	
31863	50
31957	58
31958	58
31959	58
31960	59
31961	59
31962	59
31973	60
31975	60
31977	60
32	
32105	59
32299	60
32302	60
32303	60
32304	60
32305	60
32306	60
32307	60
32308	60
32309	60
32310	68
32383	57
32384	57
32396	50
32397	50
32399	57
32400	57
32409	59

Order-No.	
32410	59
32411	59
32412	59
32413	59
32414	59
32415	59
32416	59
32417	59
32418	59
32419	59
32421	59
32423	59
32477	58
32486	60
32490	59
32491	59
32492	59
32493	59
32494	59
32495	59
32496	59
32497	59
32686	59
32687	59
32688	59
32689	59
33	
33179	22
33181	21
33182	22
33183	22
33184	21
33259	97
33520	85
33703	59
33704	59
33705	59
33706	58
33707	58
33708	58
33709	60
33710	60



Wiha list of order numbers

Order-No.		Order-No.		Order-No.		Order-No.	
33711	60	33961	58	34589	42	35506	34
33712	60	33962	58	34590	34	35506	42
33713	60	33963	58	34590	42	35507	34
33714	60	33964	58	34688	91	35507	42
33715	60	33965	58	34689	91	35508	34
33716	60	33966	58	34690	91	35508	42
33717	60	33969	17	34691	91	35509	34
33718	60	34		34692	91	35509	42
33719	60	34306	58	34693	91	35510	34
33720	60	34452	59	34694	91	35510	42
33721	60	34453	59	34695	91	35511	34
33722	60	34454	59	34696	91	35511	42
33723	60	34455	59	34697	91	35704	80
33724	60	34456	59	34698	91	35705	80
33725	60	34457	59	34699	91	35861	99
33726	60	34554	61	34700	91	35862	99
33727	60	34555	61	34701	91	35870	35
33728	60	34556	61	34702	91	35969	97
33729	60	34557	61	34703	91	36	
33730	60	34558	61	34704	91	36050	98
33731	60	34559	61	34705	91	36051	97
33732	60	34560	61	34706	91	36052	97
33736	61	34577	41	34707	91	36053	97
33743	61	34578	34	34708	90	36071	34
33764	61	34578	42	34743	80	36071	42
33841	99	34579	34	34744	80	36088	35
33842	99	34579	42	34745	106	36088	42
33843	99	34580	34	35		36089	35
33844	98	34580	42	35389	47	36089	42
33920	60	34581	34	35390	48	36090	35
33921	60	34581	42	35391	48	36090	42
33922	60	34582	34	35392	48	36092	58
33923	60	34582	42	35393	48	36093	58
33924	60	34583	34	35394	48	36094	58
33925	60	34583	42	35395	48	36114	56
33926	60	34584	34	35396	48	36189	81
33927	60	34584	42	35446	48	36218	91
33928	60	34585	34	35456	59	36219	91
33929	60	34585	42	35457	59	36220	91
33930	60	34586	34	35501	48	36221	91
33931	60	34586	42	35504	48	36222	91
33932	60	34589	34	35505	48	36223	91

Order-No.		Order-No.		Order-No.		Order-No.	
36224	91	36667	54	37224	34	39	
36225	91	36668	54	37224	42	39029	68
36226	91	36669	54	37225	34	39037	68
36272	91	36670	54	37225	42	39039	68
36327	60	36671	54	37226	34	39040	68
36329	48	36672	54	37226	42	39041	68
36330	48	36673	55	37227	34	39045	68
36389	18	36674	55	37227	42	39076	56
36453	72	36675	55	37309	106	39078	68
36455	47	36676	55	37351	72	39124	68
36487	73	36677	55	37402	81	39134	58
36536	48	36678	55	37403	81	39178	61
36537	48	36679	55	37450	85	39179	61
36538	48	36680	55	37871	106	39180	61
36539	48	36681	55	38		39181	61
36540	48	36682	55	38020	19	39182	61
36541	48	36683	55	38074	30	39183	61
36542	48	36684	54	38191	78	39184	60
36543	54	36685	54	38362	47	39185	60
36544	54	36686	54	38370	60	39186	60
36558	47	36687	54	38371	60	39187	60
36586	54	36688	54	38372	60	39188	60
36639	54	36689	54	38552	96	39189	60
36640	54	36690	54	38601	61	39190	60
36641	54	36691	54	38631	85	39191	60
36642	54	36692	54	38632	85	39192	60
36643	54	36791	28	38798	97	39193	60
36644	54	36975	91	38853	96	39194	60
36645	54	36976	91	38874	52	39195	60
36646	54	36977	91	38875	52	39196	60
36647	54	36978	91	38876	52	39197	60
36648	54	36979	91	38877	52	39198	60
36649	54	36980	91	38878	52	39199	60
36650	54	37		38879	52	39200	60
36659	55	37067	106	38880	52	39201	60
36660	55	37137	16	38881	52	39202	60
36661	55	37147	34	38984	78	39203	60
36662	55	37147	42	38985	99	39204	60
36663	55	37222	34	38986	99	39206	61
36664	55	37222	42	38996	52	39207	61
36665	55	37223	34	38997	35	39208	61
36666	54	37223	42	38997	42	40	


116 **Wiha**



Wiha list of order numbers

Order-No.		Order-No.	
40282	20	41828	67
40342	98	41829	67
40523	15	41830	65
40674	29	41831	65
40948	19	41832	66
41		41833	66
41003	46	41834	66
41141	48	41923	81
41142	48	42	
41143	48	42062	98
41144	48	42068	106
41145	48	42069	13
41146	48	42071	112
41147	48	42074	107
41157	38	42086	105
41159	34	42086	33
41159	42	42098	64
41160	34	42099	64
41160	42	42114	64
41223	20	42115	64
41230	41	42116	64
41231	39	42117	64
41232	40	42118	64
41233	40	42135	64
41234	38	42136	64
41245	48	42137	65
41246	98	42138	65
41286	104	42139	65
41289	112		
41341	31		
41342	31		
41343	31		
41344	31		
41345	31		
41476	31		
41477	31		
41478	31		
41479	31		
41824	66		
41825	66		
41826	66		
41827	67		

The cutting capacities for our pliers.



Rating	Example
癸 1-5	copper, aluminium
% 6 - 10	Iron nails
X 11 - 15	Spring wire, steel nails
X 16 - 20	Hardened spring steel

Cutting capacities for pliers are practice-based values for guidance Values may vary depending on leverage, material thickness and the specific product application







Legend

Legend

٥	Triangular nut
0	Hex
D	Square nut
۲	Hexagon socket
0	Internal hexagon with drill hole (tamper-resistant)
0	Tamper Resistant hex
	Square
8	IPR (TORX PLUS [®] Security)
9	Countersink
0	Combination drill bit
۲	Pentalobe PL
Ð	Phillips PH (cross-recessed)
₽	Pozidriv PZ (Phillips)
D	Robertson
D	Round tip
D	Slotted
Ø	Slotted nut
٢	SIT
0	Spanner
8	Twist drill
D	Sliding sleeve
Ð	Torq-Set®
۲	TORX®
٢	TORX [®] with drill hole (tamper-resistant)
۲	TORX PLUS®
	TORX IPR
Ð	Tri-Wing [®]
۲	Multitooth
	Square reaming blade

D‡	Cut width
⊖¦	Tip width
•	Round blade dimension
O ț	Hex blade
\bigcirc	Hex bolster
	Scraper width
-	Clip opening
)=	Tip width
ф -	Small head diameter
--	Interchangeable blade length
\longrightarrow	Reversible blade length
~ ``	Adapter blade length
➡	Bitholder length
→ ■	Blade length
	Length
	Handle diameter
□	Blade length
	Shaft lengths
	Length
₽	Handle length
+	Handle diameter
•	Topra handle length
•••\$1	Topra handle width
.	Torque T-handle length
- 01	Torque T-handle width
max. Nm	Max. torque value [Nm]
max. in. i bs.	Max. torque value [in.lbs
+/- %	Accuracy in percent
∽	Cable key depth

Hex	L-Keys [mm]	Pliers [mm]			
•	Blade dimension		Flat jaws		
•1	Blade dimension	•	Half round jaws		
\bigcirc	Hex bolster	:	Round jaws		
\square	Total length	ζ	Cutter without bevel		
1	Arm length	K	Cutter with small bevel		
⇒1	Blade length	X	Cutter with bevel		
₽.	Side driver length	ł	Anvl cutter		
$ \rightarrow$	Total length	I	Center cutter		
—) İ	Handle width	۲.	Scissors cutter		
) .	Handle diameter	۵	Stripper		
ŝ	Total length	₩mm	Pliers length [mm]		
ر— ،	Arm length	↔	Pliers length [inch]		
		0	Soft wire		
Bits	[mm]	0	Medium hard wire		
	Blade diameter	0	Hard wire		
	Bit length		Piano wire		
-	Threaded bit	Ømm	Max. diameter		
	Bit holder length	mm²	Max. cross-section		
>	Total length	0;	Max. gripper pipe diameter		
	Flute length	0;	Max. gripper width		
	Screw size	Ü	across flats		
	Bit holding socket length	0	Retaining ring, external		
-	Socket length		Retaining ring, internal		
Meas	surement tools [mm]		Clamping range		
	Scale width	,⊓	Opening width, flat Cutting performance		
	Colour	Ŵ			
	Measure capacity [mm]	AWG	With opening American Wire Gauge		
<u></u>	Measure capacity [inch]		American wire dauge		
M	Segment quantity	Soft-	face hammer [mm]		
	Max. length, assembled	•t	Face diameter		
	Flat nozzle width	 ‡	Face width		
uŤi∎	Threaded connector	+	Hammer head width		
	Battery	⊨	Total length		
LED	LED lumen				
*	Laser-Light	Gene	eral Symbols		
		↓ g ↓	Weight, g		
			Pookoging unit		

Packaging unit

Ranges		L-keys			Plier
	Case strength	kg MagicRing*	MagicRing	®	max. (16)
	Wheel-along case	kg MagicSpring*	MagicSpri	ng®	
	Case shape	250	Ball end ca swivel up t		0,03 - 16 mm ³
	Case suitable for transport by air		TORX [®] Ba can swivel 25°		Ornam
Screwdri	vers	JUV	Visible in U	JV light	OP
kg MagicRing*	MagicRing®	Bits			Hagi
kg MagicSpring*	MagicSpring®		Suitable fo impact sci vers		Bic
25	Ball end can swivel up to 25°	120x [*]	Lifespan 1 times long		Pow
	slim TECHNOLOGY		Visible in l	JV light	
Torque			slim		
∎ Nm	Torque safety check	TECOMOLOGY	TECHNOL	OGY	
6	Precision: ±6%				
	Saves time				
Allgemei	n				
Electrician Perfect	Recommended for electricians		\[\lapha 1000 V \] IEC 60900 \]	VDE Testin Certificatio Institute	-
Electrician Perfect	Recommended for electricians – non-insulated	DE	CE	CE marking	g

Drives 0

 \bullet \bigcirc

۲

۲

Square nut

SDS-Plus®

Hex

G7 drive system

Threaded connector

Impact tools



Optimum weight distribution





Levers out nail clamp

Measurement tool



Fully encased



Visible from just 10°

BiCut[®] Power

Cutting-to-length diameter

Skinning diameter

length

Automatic skinning

DynamicJoint[®]

OptiGrip

MagicTips®



ESD electronics mark

Tools that work for you

Notes

